


# “Reducing Clinician Burden” Project Overview

Health Level Seven (HL7)  
Electronic Health Record Work Group (EHR WG)  
8 May 2019



## Quantifying the EHR Burden

# Surveys Say...

- 3 out of 4 physicians believe that EHRs increase practice costs, outweighing any efficiency savings – Deloitte Survey of US Physicians, 2016
- 7 out of 10 physicians think that EHRs reduce their productivity – Deloitte
- 4 in 10 primary care physicians (40%) believe there are more challenges with EHRs than benefits – Stanford Medicine/Harris Poll, 2018
- 7 out of 10 physicians (71%) agree that EHRs greatly contribute to physician burnout – Stanford/Harris
- 6 out of 10 physicians (59%) think EHRs need a complete overhaul – Stanford/Harris
- Only 8% say the primary value of their EHR is clinically related – Stanford/Harris
- [Physicians express that EHR] systems had detracted from professional satisfaction (54%) as well as from their clinical effectiveness (49%) – Stanford/Harris



## Reducing Clinician Burden Stakeholders

WHAT/WHEN – Burden Targeted	WHO – Might Best Address Burden	
In Clinical Practice – At Point of Care	Providers, Clinical Professional Societies	<a href="#">With Engaged Clinicians</a>
In Health Informatics Standards, e.g. <ul style="list-style-type: none"> <li>• EHR System Functional Model/Profiles</li> <li>• Messages (HL7 v.2x), Documents (HL7 CDA), Resources (HL7 FHIR)</li> <li>• Implementation Guides (C-CDA, IPS)</li> <li>• Vocabulary</li> </ul>	Standards Developers/Profilers: <ul style="list-style-type: none"> <li>• <a href="#">HL7</a>, DICOM, IHE, ISO TC215, NCPDP, ASC X12N, SNOMED...</li> </ul> Standards Coordinating Bodies <ul style="list-style-type: none"> <li>• Joint Initiative Council</li> </ul>	
In Regulation, Policies	Government, Accreditation Agencies	
In Claims, Payment Policies	Public and Private Payers	
During System/Software Design	EHR/HIT System Developers/Vendors	
During System/Software Implementation	EHR/HIT System Implementers	

## Reducing Clinician Burden

# Defining Terms (DRAFT)

Reducing (reduce)	<ul style="list-style-type: none"><li>• “To bring down, as in extent, amount, or degree; diminish”, and “To gain control of... [to] conquer”, and “To simplify the form of... without changing the value”, also “To restore... to a normal condition or position” – The Free Dictionary</li><li>• “To lower in... intensity” – Dictionary.com</li><li>• “To narrow down”, also “To bring to a specified state or condition” – Merriam-Webster</li></ul>
Clinician	<ul style="list-style-type: none"><li>• “A health professional whose practice is based on direct observation and treatment of a patient” – Mosby's Medical Dictionary</li><li>• “An expert clinical practitioner and teacher” – Miller-Keane Encyclopedia and Dictionary of Medicine, Nursing, and Allied Health</li><li>• “A health professional, such as a physician, psychologist, or nurse, who is directly involved in patient care” – American Heritage Medical Dictionary</li></ul>
Burden	<ul style="list-style-type: none"><li>• “A source of great worry or stress”, and “[Something that] cause[s] difficulty [or] distress”, also “To load or overload” – The Free Dictionary</li><li>• “Something that is carried, [as in a] duty [or] responsibility”, also “Something oppressive or worrisome” – Merriam-Webster Dictionary</li></ul>


## Reducing Clinician Burden

# Defining Terms (DRAFT)

Clinician Burden	<p>Anything that hinders patient care, either directly or indirectly [such as]:</p> <ol style="list-style-type: none"><li>1) Undue cost or loss of revenue,</li><li>2) Undue time,</li><li>3) Undue effort,</li><li>4) Undue complexity of workflow,</li><li>5) Undue cognitive burden,</li><li>6) [Uncertain quality/reliability of data/record content,]</li><li>7) Anything that contributes to burnout, lack of productivity, inefficiency, etc.,</li><li>8) Anything that gets in the way of a productive clinician-patient relationship.</li></ol> <p>-- Peter Goldschmidt</p>
------------------	--

# How physicians use their computers


Percent of time spent per day by EHR task category



Source: Health Data Management




## Average characters per ambulatory progress note in U.S. and international health systems.




# Burden Sometimes leads to Burnout


- “‘Physician burnout’ has skyrocketed to the top of the agenda in medicine. A 2018 Merritt Hawkins survey found a staggering 78% of doctors suffered symptoms of burnout, and in January [2019] the Harvard School of Public Health and other institutions deemed it a ‘public health crisis.’”
- [Fortune and Kaiser Health News: “Death by a Thousand Clicks: Where Electronic Health Records Went Wrong”, Erika Fry and Fred Schulte, published 18 Mar 2019](#)



From: Physician stress and burnout: the impact of health information technology  
J Am Med Inform Assoc. 2018;26(2):106-114. doi:10.1093/jamia/ocy145



From: Physician stress and burnout: the impact of health information technology  
 J Am Med Inform Assoc. 2018;26(2):106-114. doi:10.1093/jamia/ocy145



## Reducing Clinician Burden

# Assessing the Burden

- Our primary focus is on clinician burdens including time and data quality burdens associated with:
  - Use/engagement of EHR/HIT systems
  - Capture, exchange and use of health information
- Considering:
  - Clinical practice – at the point of care
  - Regulatory, accreditation, administrative, payor mandates
  - EHR/HIT system design, functionality, usability and implementation
  - Data quality and usability
- Gather details from many reference sources:
  - Trade publications, professional society journals, articles, studies, personal experience
- Our goal is not to boil the ocean, rather to understand the substance and extent of the burden, to recognize root causes and identify success stories.

# Reducing Clinician Burden – Breaking It Down

## Topics/Categories

- |   |   |  |
|---|---|--|
| 1.1) Clinician Burden – In General  | <a href="#">management</a>  | priorities, end-user feedback                                |
| 1.2) Clinician Burnout – Sometimes the Result   | 15) <a href="#">Information overload</a>  | 28) Product transparency                                     |
| 2) Patient Safety (and Clinical Integrity)  | 16) Transitions of care   | 29) Product modularity                                       |
| 3) Administrative tasks   | 17) Health information exchange, claimed “interoperability”   | 30) <a href="#">Lock-in, data liquidity, switching costs</a> |
| 4) Data entry requirements  | 18) Medical/personal device integration   | 31) Financial burden   |
| 5) Data entry scribes and proxies   | 19) Orders for equipment and supplies   | 32) Security   |
| 6) <a href="#">Clinical documentation: quality and usability</a>                      | 20) Support for payment, claims and reimbursement   | 33) Professional credentialing                               |
| 7) Prior authorization, coverage verification, eligibility tasks                      | 21) Support for cost review   | 34.1) Identity matching                                      |
| 8) Provider/patient face to face interaction  | 22) Support for measures: administrative, operations, quality, performance, productivity, cost, utilization | 34.2) Identity and credential management                     |
| 9) Provider/patient communication   | 23) Support for public and population health  | 35) <a href="#">Data quality and integrity</a>               |
| 10) Care coordination, team-based care  | 24) <a href="#">Legal aspects and risks</a>   | 36) Process integrity  |
| 11) <a href="#">Clinical work flow</a>  | 25) User training, user proficiency   | 37.1) Problem list   |
| 12) Disease management, care and treatment plans                                      | 26) Common function, information and process models   | 37.2) Medication list  |
| 13) <a href="#">Clinical decision support, medical logic, artificial intelligence</a> | 27) Software development and improvement  | 37.3) Allergy list   |
| 14) <a href="#">Alerts, reminders, notifications, inbox</a>                           |   | 37.4) Immunization list                                      |
|   |   | 37.5) Surgery, intervention and procedure list               |

## Reducing Clinician Burden

# Project Plan

- Now
  - Continue environmental scan – to document burdens
  - Engage focus teams to address burden topics
  - Focus on root causes
    - What is the problem and its source?
    - Why did it happen?
    - What will be done to prevent it from happening (now and in the future)?
      - Who (stakeholder(s)) might best address burden?
  - Have burden(s) already been tackled?
    - Are there RCB proposals and/or successful solutions that can be referenced?
- Then
  - Publish findings and work to implement solutions



## Reducing Clinician Burden

# Focus Teams

- Clinical documentation, quality and usability
  - Lead: Dr. Lisa Masson ([lisa.masson@csbs.org](mailto:lisa.masson@csbs.org))
- Clinical decision support, medical logic, artificial intelligence + Alerts, reminders, notifications, inbox management + Information overload
  - Lead: Dr. James McClay ([jmccclay@unmc.edu](mailto:jmccclay@unmc.edu))
- Clinical workflow
  - Lead: Dr. David Schlossman ([dschloss39@gmail.com](mailto:dschloss39@gmail.com))
- Legal aspects and risks
  - Lead: Dr. Barry Newman ([barrynewman@earthlink.net](mailto:barrynewman@earthlink.net))
- System lock-in, data liquidity, switching costs
  - Lead: Dr. Michael Brody ([mbrody@tldsistemas.com](mailto:mbrody@tldsistemas.com))
- State of data content quality
  - Leads: Dr. Reed Gelzer ([r.gelzer@trustworthyehr.com](mailto:r.gelzer@trustworthyehr.com))

Reducing Clinician Burden

## Focus Teams (con't)

- Process is open, transparent and inclusive – All are welcome!
- Anticipated: More teams to form (convened on RCB topics)
- To participate: Contact team lead(s)

# Additional Considerations

- What are the risks if burden is not reduced?
  - e.g., clinician burnout, clinicians choosing other roles/assignments
- If clinician burdens are reduced...
  - Are burdens increased elsewhere (e.g., to other members of the healthcare team)?
  - Are benefits to other aspects of the health/healthcare business model also reduced?
  - What is the trade-off: Safety? Cost? Time? Efficiency? Effectiveness?

## Reducing Clinician Burden

# Schedule

- Bimonthly teleconferences, Monday at 3PM ET (US)
  - 1st and 3rd Mondays each month  
20 May, 3 June, 17 June, 1 July (TBD), 15 July
  - <https://global.gotomeeting.com/meeting/join/798931918>
- Face-to-Face
  - HL7 May Working Group Meeting: Montreal, Quebec, Canada
  - Wednesday, 8 May 2019, 1:45 – 5 PM ET (US/Canada)

## Reducing Clinician Burden

# Contact

- Comments on the DRAFT analysis worksheet are welcome (including additional reference sources) and should be addressed to the HL7 EHR WG Co-Chairs:
  - Gary Dickinson FHL7, Lead: [gary.dickinson@ehr-standards.com](mailto:gary.dickinson@ehr-standards.com)  
CentriHealth/UnitedHealth Group
  - Michael Brody DPM: [mbrody@tldsystems.com](mailto:mbrody@tldsystems.com)  
TLD Systems
  - Stephen Hufnagel PhD: [stephen.hufnagel.hl7@gmail.com](mailto:stephen.hufnagel.hl7@gmail.com)  
Apprio Inc
  - Mark Janczewski MD: [mark.janczewski@gmail.com](mailto:mark.janczewski@gmail.com)  
Medical Networks LLC
  - John Ritter FHL7: [johnritter1@verizon.net](mailto:johnritter1@verizon.net)
  - Pele Yu MD: [pele.yu@archildrens.org](mailto:pele.yu@archildrens.org)  
Arkansas Children's Hospital/University of Arkansas

## Reducing Clinician Burden

# Reference Points

- Latest Project Documents – New Project Wiki
  - Project Overview
  - DRAFT RCB Analysis Worksheet
  - Links to Reference Sources
  - Links to Success Stories
  - [http://bit.ly/reducing\\_burden](http://bit.ly/reducing_burden)
- Comments may also be directed to:
  - US Centers for Medicare/Medicaid Services (CMS)  
[reducingproviderburden@cms.hhs.gov](mailto:reducingproviderburden@cms.hhs.gov)

## Reducing Clinician Burden Project

# Outreach + Expressed Interest

- Standards Developers
  - Joint Initiative Council (JIC), comprising HL7, ISO TC215 (HIT/International), CEN TC251 (HIT/Europe), DICOM (Diagnostic Imaging), CDISC (Clinical Research), GS1 (IDs/Labeling), SNOMED (Clinical Vocabulary), IHE (Standards Profiling)
- International Healthcare Community
  - Australia, Canada, Chile, Finland, Italy, Netherlands, New Zealand, Poland, Sweden, United Kingdom
- Government
  - US Centers for Medicare and Medicaid Services (CMS)
  - US Office of National Coordinator for HIT (ONC)
  - US National Institutes of Health (NIH)
  - US Veterans Administration (VA)
  - UK National Health Service (NHS)
- Accreditation Bodies
  - Joint Commission
- Clinical Professional Societies
  - American College of Physicians (ACP)
  - American College of Surgeons (ACS)
  - American Medical Informatics Association (AMIA)
  - American Nurses Association (ANA)
- Providers
  - Adventist Health, Beth Israel/Deaconess, Cedars-Sinai Medical Center, Duke University, Intermountain Healthcare, Kaiser Permanente, Loma Linda University, Mayo, Sutter Health, University of Arkansas, University of Nebraska, VA
- Payers
  - UnitedHealth Group
- EHR/HIT System Developers
  - CentriHealth, Cerner, Epic, TLD Systems
- Consortia
  - Health Record Banking Alliance
  - Health Services Platform Consortia
  - Clinical Information Interoperability Council

Reducing Clinician Burden

# Analysis Worksheet – Tabs

1. Burdens
2. Time Burdens
3. Data Quality Burdens
4. Clinician Stories
5. Terms: Reducing, Clinician, Burden
6. Root Causes
7. Reference Sources
8. Leads: EHR WG Co-Chairs
9. Acknowledgements: Reviewers + Contributors
10. RCB Topics



Reducing Clinician Burden

# Analysis Worksheet

## First Tab – Burdens - Columns

B) Clinician Burdens (the current situation) – Raw Input

C) Recommendations – Raw Input

D) Reference Sources

E) Targeted RCB Recommendation(s) – refined from our reference (and other) sources

F) RCB Proposals and Successful Solutions