

EHR-S FM R2 – Record Infrastructure
Record Lifecycle Event –
FHIR Implementation Guide

Gary Dickinson
Co-Chair, HL7 EHR WG
12 June 2015

<http://www.hl7.org/fhir>

FHIR Clinical Resources

Clinical

General:

- AllergyIntolerance
- ClinicalImpression
- Condition (aka Problem)
- ReferralRequest
- Procedure
- Contraindication
- RiskAssessment

Data Collection & Care Plan:

- Questionnaire
- QuestionnaireAnswers
- FamilyMemberHistory (+ Genetics)
- CarePlan
- Goal

Medication, Immunization & Nutrition:

- Medication
- MedicationPrescription
- MedicationAdministration (+ Immunization)
- MedicationDispense
- MedicationStatement
- NutritionOrder
- Immunization
- ImmunizationRecommendation

Diagnostics:

- Observation (+ Genetics & Devices)
- DiagnosticReport
- DiagnosticOrder
- ImagingStudy
- ImagingObjectSelection
- Specimen
- BodySite

FHIR Administrative Resources

Administrative

Attribution:

- Patient
- RelatedPerson
- Person
- Practitioner
- Organization
- HealthcareService

Entities:

- Contract (+ Consent)
- Device
- DeviceComponent
- DeviceMetric
- Location
- Substance
- Group

Workflow Management:

- Encounter
- EpisodeOfCare
- Flag (aka Alert)
- Communication
- CommunicationRequest
- Supply
- SupplyRequest
- SupplyDelivery
- DeviceUseStatement
- ProcessRequest
- ProcessResponse

Scheduling / Ordering:

- Appointment
- AppointmentResponse
- Schedule
- Slot
- Order
- OrderResponse
- DeviceUseRequest
- ProcedureRequest
- VisionPrescription

FHIR Infrastructure Resources

Infrastructure

Support:

- Media
- Basic
- Provenance ←
- AuditEvent ←

Documents & Structure:

- List
- Composition (+ Clinical Document)
- DocumentReference (+ XDS)
- DocumentManifest

Exchange:

- MessageHeader
- OperationOutcome
- Subscription
- Bundle
- Binary

Conformance:

- Conformance
- StructureDefinition
- ValueSet
- ConceptMap
- DataElement
- OperationDefinition
- SearchParameter
- NamingSystem
- TestScript

<http://www.hl7.org/fhir>

FHIR Financial Resources

Financial

Support:

- Coverage
- EligibilityRequest
- EligibilityResponse
- EnrollmentRequest
- EnrollmentResponse

Billing:

- Claim
- ClaimResponse

Payment:

- PaymentNotice
- PaymentReconciliation

Other:

- ExplanationOfBenefit

Targets

- FHIR DSTU-2 – Record Lifecycle Event Implementation Guide
 - <http://www.hl7.org/fhir/2015May/ehrs-rle.html>
- FHIR W5 Report
 - <http://hl7.org/fhir/2015May/w5.html?>
- DSTU-2 Reconciliation Deadline
 - 31 August 2015

Now Underway

Mapping to FHIR

Requirements	Are Fulfilled by...
ISO/HL7 10781 EHR-S FM R2 Record Infrastructure (RI) → 24(+3) Record Lifecycle Events	Implementable FHIR Resources
<u>Basic Lifecycle Event</u>	<ul style="list-style-type: none">• AuditEvent
<u>Provenance Lifecycle Event</u> when Record Entry content is originated or updated	<ul style="list-style-type: none">• AuditEvent• Provenance• Other new/updated resource(s) → corresponding to Action Taken

↑ Resources may also be indivisibly and immutably bound by one or more digital signatures in a Record Entry.

EHR-S FM Record Lifecycle Events 1-13

→ FHIR AuditEvent, Provenance

Lifecycle Event	FHIR Resources	
	Audit Event	Provenance
1 Originate/Retain	1	1
2 Amend	1	1
3 Translate	1	1
4 Attest	1	1
5 Access/View	1	0
6 Output/Report	1	1
7 Disclose	1	1
8 Transmit	1	1
9 Receive/Retain	1	1
10 De-Identify	1	1
11 Pseudonymize	1	1
12 Re-Identify	1	1
13 Extract	1	1

EHR-S FM Record Lifecycle Events 14-27

→ FHIR AuditEvent, Provenance


Lifecycle Event	FHIR Resources	
	Audit Event	Provenance
14 Archive	1	0
15 Restore	1	0
16 Destroy/Delete	1	1
17 Deprecate	1	1
18 Re-Activate	1	0
19 Merge	1	1
20 Unmerge	1	1
21 Link	1	1
22 Unlink	1	1
23 Add Legal Hold	1	1
24 Remove Legal Hold	1	1
25 Verify (new)	1	1
26 Encrypt (new)	1	0
27 Decrypt (new)	1	0

Pre/Post Entry Content and...

Record Entry Lifecycle


Lifecycle Starts: at Point of Origination/Creation as New Event

	<u>Prior Event</u> Added...	<u>During Interval between Events</u> Retains (at rest): Indivisibly+Immutably	PRE	<u>At New Event</u> Adds...	POST
Basic	1 AuditEvent instance	1 or more AuditEvent instances >> One per each prior Record Lifecycle Event	→	<u>One</u> AuditEvent instance	<i>Becomes Prior Event</i>
w/Provenance	1 Provenance instance	1 or more Provenance instances >> One per each prior Record Lifecycle Provenance Event	→	<u>One</u> bound Provenance instance	
	1 or more other resource instance(s)	1 or more other FHIR resource instances > Corresponding to Action(s) Taken > As documented in Record Entry(ies)	→	<u>One or more</u> bound resource instance(s)	



EHR-S FM Record Lifecycle Events 1-9


Pre/Post States



Pre Event State	Record Lifecycle Event	Post Event State				
		Added Event Evidence	Retained Pre Edition Unaltered	Added New Edition	Signed as Author	Signed as System
[none]	1 Originate/Retain	X		X	Opt	X
[Record Entry as persisted, indivisible and immutable since previous Lifecycle Event]	2 Amend	X	X	X	Opt	X
	3 Translate	X	X	X		X
	4 Attest	X	X		X	X
	5 Access/View	X				
	6 Output/Report	X				X
	7 Disclose	X				X
	8 Transmit	X				X
	9 Receive/Retain	X	X			

EHR-S FM Record Lifecycle Events 10-18


Pre/Post States



Pre Event State	Record Lifecycle Event	Post Event State					
		Added Event Evidence	Retained Pre Edition Unaltered	Added New Edition	Signed as Author	Signed as System	
[Record Entry as persisted, indivisible and immutable since previous Lifecycle Event]	10 De-Identify	X	X	X		X	
	11 Pseudonymize	X					
	12 Re-Identify	X					
	13 Extract	X	X	X		X	
	14 Archive	X					
	15 Restore	X					
	16 Destroy/Delete	X	[none]				
	17 Deprecate	X					
	18 Re-Activate	X					

EHR-S FM Record Lifecycle Events 19-27

Pre/Post States



Pre Event State	Record Lifecycle Event	Post Event State				
		Added Event Evidence	Retained Pre Edition Unaltered	Added New Edition	Signed as Author	Signed as System
[Record Entry as persisted, indivisible and immutable since previous Lifecycle Event]	19 Merge	X	X	X		
	20 Unmerge	X				
	21 Link	X				
	22 Unlink	X				
	23 Add Legal Hold	X				
	24 Remove Legal Hold	X				
	25 Verify (new)	X				
	26 Encrypt (new)	X	X	?		
	27 Decrypt (new)	X	X	?		

Originate/Retain Record Entry

With Event Evidence (RI.1.1.1.1) →
 ↓ At Lifecycle Event Occurrence (RI.1.1.1)

- 1. The system SHALL provide the ability to capture (originate) a Record Entry instance corresponding to an Action instance and context.
- 2. The system SHALL capture a unique instance identifier for each Record Entry.
- 3. The system SHALL capture the signature event (e.g., digital signature) of the origination entry Author, binding signature to Record Entry content.
- 4. The system SHALL provide the ability to capture both structured and unstructured content in Record Entries.
- 5. The system SHALL provide the ability to capture Record Entries from information recorded during system downtime.
- 6. The system SHOULD provide the ability to integrate Record Entries from Information recorded during system downtime.
- 7. The system SHALL provide the ability to capture date/time an Action was taken or data was collected if different than date/time of the Record Entry.
- 8. The system SHOULD capture metadata that identifies the source of non-originated Record Entry (e.g., templated, copied, duplicated, or boilerplate information).
- 9. The system MAY provide the ability to tag unstructured Record Entry content to organize it according to need, for example, in a time-related fashion or by application-specific groups (such as photographs, handwritten notes, or auditory sounds), or by order of relative importance.
- 10. The system MAY capture and maintain a Record Entry encoded as a standards-based data object (e.g., HL7 Continuity of Care, other HL7 CDA R2 Document, ISO 13606 artifact).
- 11. The system MAY capture and maintain a standards-based data object to mirror (be duplicate and synchronous with) internal Record Entry representation.

Fulfilled by FHIR Resource Implementation █
 Lifecycle Event Metadata (who, what, when, where, why) █
 Others to consider █

- 1. The system SHALL audit each occurrence when a Record Entry is originated and retained.
- 2. The system SHALL capture identity of the organization where Record Entry content is originated.
- 3. The system SHALL capture identity of the patient who is subject of Record Entry content.
- 4. The system SHALL capture identity of the individual(s) who performed the Action documented in Record Entry content.
- 5. The system SHALL capture identity of the user who entered/authored Record Entry content.
- 6. The system SHALL capture identity of the system application which originated Record Entry content.
- 7. IF the source of Record Entry content is a device THEN the system SHALL capture identity of the device.
- 8. The system SHALL capture the Action as evidenced by Record Entry content.
- 9. The system SHALL capture the type of Record Event trigger (i.e., originate/retain).
- 10. The system SHALL capture date and time of Action occurrence as evidenced by Record Entry content.
- 11. The system SHALL capture date and time Record Entry content is originated.
- 12. The system MAY capture the duration of the Action evidenced by Record Entry content.
- 13. The system MAY capture the physical location of the Action evidenced by Record Entry content.
- 14. The system SHOULD capture identity of the location (i.e., network address) where Record Entry content is originated.
- 15. The system MAY capture the rationale for the Action evidenced by Record Entry content.
- 16. The system MAY capture the rationale for originating Record Entry content.
- 17. IF Record Entry content includes templates (boilerplate information) or copied (duplicated) information THEN the system SHOULD capture the source of such content.

Individuals have specific...

Action and Record Entry Roles

Action Roles	Record Entry Roles
<ul style="list-style-type: none">• Subject• Performer• Witness	<ul style="list-style-type: none">• Record Target• Author• Recorder (Enterer?)• Verifier• Attester• Informant• Source/Copy From

Example – Medication Order

Action and Record Entry Metadata

	Action Metadata	Record Entry Metadata
Who	Action Subject (Patient) Johnny Walker Role: Subject	Entry Subject (Patient) Johnny Walker Role: Record Target
	Action Organization Bay City Medical Center	
	Action Practitioner/ Performer Doctor Sally Smith Role: Performer	Entry Source – Author or Scribe Nurse Janice Jones Role: Recorder
		Entry Source – System/Device Erstwhile EHR/Device XX123456

Example – Medication Order

Action and Record Entry Metadata

	Action Metadata	Record Entry Metadata
What	Action Taken Medication Order for Ambien 20mg PRN	Entry Origination/Retention evidenced by AuditEvent Provenance + FHIR Resources related to Medication Order MedicationPrescription, et al
When	Action Date/Time 22 Aug 2014 @ 1800	Entry Date/Time 22 Aug 2014 @ 1810
	Action Duration 3 Minutes	
Where	Action Physical Location Ward/Room B/12	Entry Location – IP Address 255.255.255.1
Why	Action Reason/Purpose To Induce Sleep	Entry Reason/Purpose <none entered>

EHR-S FM Record Infrastructure (RI) – Lifecycle Events

Plus... More Evidentiary Metadata

Lifecycle Event →	Originate Retain	Amend	Attest	Translate
Record Entry Unique ID	X			
Record Entry Content: Data, Document, Artifact ID(s)	X	X		
Digital Signature(s) – Individual(s)			X	
Digital Signature – Acting System/Device	Any/All			
Corresponding/linked Record Entry(ies)	X	X		
Pointer to Pre-Event Entry, if any: pre update/translation		X		X
Pointer to Post-Event Entry, if any: post update/translation		X		X
Amendment and/or Translation Sequence		X		X
Identity and version of Translation Tool(s), if any				X


EHR-S FM Record Infrastructure (RI) – Lifecycle Events

Plus... More Evidentiary Metadata

Lifecycle Event →	Originate Retain	Amend	Attest	Disclose Transmit
Source of Copied Content: if copy/paste, template or boilerplate	X	X		
Event is Known Disclosure Indicator				X
Permissions associated with Record Entry Content	X	X		X
Entries in Event Transaction, if multiple	Set of Entries: <ul style="list-style-type: none"> • Accessed/Viewed • Transmitted • Received • Extracted • Archived/Restored • Destroyed/Deleted • On/Off Legal Hold ... 			

A Potential Solution for Action Metadata

Abstract Attributes



FHIR W5 Report

- Who's doing what?
 - FMG: decisions?
 - RLE on FHIR Project Team: recommendations
- How was report produced?
 - Manually compiled? Automated with rules?
- Contains: who, when
- Not: what, where, why
- Difference between “concise” and “full”?

FHIR W5 Report – Who

Metadata	Action/ Record	RLE on FHIR	W5 Report
id	Both?	AuditEvent.Participant 1..* Provenance 1..1 Provenance.target	identifier; uri; url; udi; accession identifier; master identifier; value
who	Both?	AuditEvent.Participant 1..* Provenance.Agent 0..*	individual; member; actor
who.actor	Action	AuditEvent.Participant 1..* otherwise TBD	author; device; dispenser; manufacturer; operator; orderer; performer; prescriber; person; practitioner; recipient; reference (x); sender; source; target; who
who.author	Record	AuditEvent.Participant 1..* Provenance.Agent 0..* where role = “author”	asserter; author; enterer; orderer; performer; recorder; requester; source

FHIR W5 Report – Who

Metadata	Action/ Record	RLE on FHIR	W5 Report
who.cause	Action	AuditEvent.Participant 1..*	recipient; referrer; requester; source
who.focus	Both?	AuditEvent.Participant 1..* Provenance 1..1 Provenance.target	actor; contact; destination; patient; receiver; recipient; subject
who.source	Action?	AuditEvent.Participant 1..*	reporter
who.witness	Action	AuditEvent.Participant 1..*	authenticator; interpreter; party; performer; publisher; responsible;

FHIR W5 Report – When

Metadata	Action/ Record	RLE on FHIR	W5 Report
when.context	Action	TBD	encounter; episodeOfCare; period; targetDate
when.done	Action	TBD	abatement; applies (x); created; date; diagnostic (x); effective (x); effectiveTime (x); end; expiry; performed (x); period; received; receivedTime; timing (x); whenUsed;
when.init	Action	TBD	collected; date; dateSent; lastSystemChange; lockedDate; onset (x); orderedOn; period; sent; start; started; timestamp

FHIR W5 Report – When

Metadata	Action/ Record	RLE on FHIR	W5 Report
when.planned	Action	TBD	end; fulfillmentTime; planningHorizon; schedule; scheduledTime; start; timing (x)
when.recorded	Record	AuditEvent.Event.dateTime Provenance.recorded	authored; authoringTime; created; date; dateAsserted; dateTime; dateWritten; indexed; issued; orderedOn; recorded; recordedDate; recordedOn; reported; statusDate

DSTU-2 FHIR Ballot Artifact

FHIR W5 Report – When

Metadata	Action/ Record	RLE on FHIR	W5 Report
when.recorded	Record	AuditEvent.Event.dateTime Provenance.recorded	authored; authoringTime; created; date; dateAsserted; dateTime; dateWritten; indexed; issued; orderedOn; recorded; recordedDate; recordedOn; reported; statusDate

DSTU-2 FHIR Ballot Artifact

FHIR W5 Report – What

Metadata	Action/ Record	RLE on FHIR	W5 Report
what.action	Action	TBD	
what.lifecycle event	Record	AuditEvent.Event 1..1 AuditEvent.Object 0..1	

DSTU-2 FHIR Ballot Artifact

FHIR W5 Report – Where

Metadata	Action/ Record	RLE on FHIR	W5 Report
where.location	Action	TBD	
where.network address	Record	AuditEvent.Participant.Network 0..* Provenance.location	

DSTU-2 FHIR Ballot Artifact

FHIR W5 Report – Why

Metadata	Action/ Record	RLE on FHIR	W5 Report
why.reason	Action	TBD	
why.reason	Record	AuditEvent.Event.reason Provenance.reason Provenance.policy	

Supporting Use Cases

- Use Case Template w/Lifecycle Events
 - http://wiki.hl7.org/images/3/34/EHRS_FM_R2-RI-Lifecycle_Event_Metadata_to_FHIR-Use_Cases-20140828.xlsx
- Patient, Provider Community Pharmacy Example Use Case
 - Julia Chan, Lead
 - Presentation
 - <http://1drv.ms/18uwqM7>
 - Scenario Worksheet using Use Case Template:
 - <http://1drv.ms/Za7ODj>

Data Provenance Examples

- Developed for S&I Data Provenance Community Initiative
- Examples with Record Lifecycle Events
 - http://wiki.hl7.org/images/7/79/ONC-Data_Provenance-User_Story_Examples-20140818.pdf

Record Entry and FHIR Resources

- An EHR System manages a persistent EHR comprising Record Entries for
 - One or more provider organizations,
 - One or more individual practitioners, and
 - Many patients
- An EHR comprises
 - Many Record Entry instances
- A Record Entry instance may comprise
 - One or more FHIR Resource instance(s)
 - With signature bindings

Project Focus/Success Criteria

FHIR Enabled Lifecycle Events

Project Focus	Success Criteria
<p>Binds (joins) FHIR Resource(s) together in Record Entry Instance:</p> <ul style="list-style-type: none">• Including applicable Clinical, Administrative, Infrastructure and Financial Resources• Based on Action(s) Taken	<ul style="list-style-type: none">• Complete specification of baseline Set of FHIR Resources applicable at each Record Lifecycle Event (1-27) and captured in the resulting Record Entry Instance• Along with other Resources bound together in a Record Entry Instance, per Clinical, Administrative and/or other context
<p>Provenance “Source of truth” at data capture/ origination, including: who, what, when, where, why</p>	<ul style="list-style-type: none">• Complete specification of how Provenance is bound to the “chain of trust” from point of origination to each ultimate point of access/use

Project Focus/Success Criteria

FHIR Enabled Lifecycle Events

Project Focus	Success Criteria
Includes Pre- and Post-Lifecycle Event Entry States <ul style="list-style-type: none">e.g., before/after amendment or translation	<ul style="list-style-type: none">Complete specification of how both pre- and post-lifecycle event states (of FHIR Resources) are captured and preserved in one or more Record Entries
Includes Action/Event Metadata	<ul style="list-style-type: none">Complete specification of Action/Event Metadata (in FHIR Resources) per Record Entry
Includes Attestation and Content Binding <ul style="list-style-type: none">With/without Digital Signature	<ul style="list-style-type: none">Complete specification (per esMD) of<ul style="list-style-type: none">Attestation and/or Digital Signature bound to Record Entry content

Dimensions of End-to-End Flow

Record Lifespan

1. Within Single System


- Starting at point of origination, in Source System
- Starting at point of receipt, in Receiving System
- Ending at point of deletion

2. Across Multiple Systems

- Starting at point of origination, in Source System
- Traversing one or more Points of Exchange
- Ending at point of deletion, in each System


Record Lifespan – End-to-End

Within Single System

Record Lifespan 		
Start	Intervening Record Lifecycle Events (0 to many)	End
<u>Source System</u> (1) Originate/ Retain Record Entry	(2) Amend (3) Translate (25,4) Verify, Attest (5) View/Access (6) Output/Report (7) Disclose (8) Transmit (10) De-Identify (11) Pseudo-nymize (12) Re-Identify (13) Extract	(16) Destroy
<u>Receiving System</u> (9) Receive/Retain Record Entry	(14,15) Archive, Restore (17,18) Deprecate/Retract, Re-Activate (19,20) Merge, Unmerge (21,22) Link, Unlink (23,24) Place, Remove Legal Hold (26,27) Encrypt, Decrypt	(16) Destroy

Record Lifespan – End-to-End

Across Multiple Systems



Repeated at each point of exchange...

Current/Emerging Projects Related to...

EHR-S FM Record Infrastructure

- EHR Record Lifecycle Event Metadata using HL7 Fast Health Interoperable Resources (FHIR) – [this project](#)
- S&I Data Provenance
- S&I esMD
- S&I Simplification
 - S&I Use Case Requirements Analysis
 - Use Case Authoring Tool (UCAT) Development
- HL7 Functional Model Framework
 - Next Releases of EHR-S FM (R3), PHR-S FM (R2), Lab or PH FM (?)
- HL7 Vocabulary Harmonization: EHR, Security, CBCC WGs
- Functional Profile Development: RM-ES R2, MU FP, PH FPs
- ISO 21089 Revision, Trusted End-to-End Information Flows
- ISO 13606 Revision, EHR Communication

ISO/HL7 Standard or S&I Activity →	ISO TC215 – Stds. Infrastructure Frame In development	ISO 21089:2004 Trusted End to End Published TR	ISO 21089:2014 Trusted End to End In development	ISO/HL7 10781 EHRS FM R2:2014 Published	ISO/HL7 16527 PHRS FM R2 In development	ISO 19669 – Re-Usable Use Case In development	ISO 13606 – EHR Communication In Revision	HL7 EHR Lifecycle Model DSTU:2008 Published	HL7 RM-ES FP R2 In Development	HL7 Record Lifecycle on FHIR In Development	US S&I Simplification	US S&I Data Provenance
Record Lifecycle Event ↓ (EHR-S FM RI.1.1.x)												
1 Originate/Retain Record Entry	X	X	X	X	X	X		X	X	X	X	
2 Amend Record Entry	X	X	X	X	X	X		X	X	X	X	
3 Translate Record Entry	X	X	X	X	X	X		X	X	X	X	
4 Attest Record Entry	X		X	X	X	X		X	X	X	X	
5 View/Access Record Entry	X	X	X	X	X	X		X	X	X	X	
6 Output/Report Record Entry	Exchange	X	X	X	X	X	X	X	X	X	X	
7 Disclose Record Entry		X	X	X	X	X	X	X	X	X	X	
8 Transmit Record Entry		X	X	X	X	X	X	X	X	X	X	
9 Receive/Retain Record Entry		X	X	X	X	X	X	X	X	X	X	
10 De-Identify Record Entry	X	X	X	X	X	X		X	X	X	X	
11 Pseudo-nymize Record Entry	X	X	X	X	X	X		X	X	X	X	
12 Re-Identify Record Entry	X	X	X	X	X	X		X	X	X	X	
13 Extract Record Entry	X	X	X	X	X	X		X	X	X	X	
14 Archive Record Entry	X	X	X	X	X	X		X	X	X	X	
15 Restore Record Entry	X		X	X	X	X		X	X	X	X	
16 Destroy Record Entry	X	X	X	X	X	X		X	X	X	X	
17 Deprecate/Retract Record Entry	X		X	X	X	X			X	X	X	
18 Re-Activate Record Entry	X		X	X	X	X			X	X	X	
19 Merge Record Entry	X		X	X	X	X			X	X	X	
20 Unmerge Record Entry	X		X	X	X	X			X	X	X	
21 Link Record Entry	X		X	X	X	X			X	X	X	
22 Unlink Record Entry	X		X	X	X	X			X	X	X	
23 Place Legal Hold on Record Entry	X		X	X	N/A	X			X	X	X	
24 Remove Legal Hold on Record Entry	X		X	X		X			X	X	X	
25 Verify Record Entry Content	X	X	X		X	X		X	X	X	X	
26 Encrypt Record Entry	X		X		X	X			X	X	X	
27 Decrypt Record Entry	X		X		X	X			X	X	X	
Applicable Lifecycle Events →	27	15	27	24	25	27	4	16	27	27	27	?

TBD

CRUDE per Record Lifecycle

		ISO/HL7 10781 EHRS FM R2 – Record Lifecycle Events																								New			
		1 Originate/retain	2 Amend	3 Translate	4 Attest/sign	5 Access/view	6 Output/report	7 Disclose	8 Transmit	9 Receive/retain	10 De-identify	11 Pseudonymize	12 Re-identify	13 Extract	14 Archive	15 Restore	16 Destroy	17 Deprecate	18 Re-activate	19 Merge	20 Unmerge	21 Link	22 Unlink	23 + Legal Hold	24 – Legal Hold	25 Verify	26 Encrypt	27 Decrypt	
Create		X			X					X																			
Read						X																							
Update			X	X	X						X	X	X	X	X	X		X	X	X	X	X	X	X	X	X	X	X	X
Delete																	X												
Execute																													
Pre			X	X							X	X		X														X	
Exchange						X	X	X	X																				
Post			X								X	X	X	X															X

Longer Term...

Project Segments/Leads

		Leads
1	ISO/HL7 10781 EHR-S FM R2 RI – Record Infrastructure RM-ES – Records Management/ Evidentiary Support	Gary Dickinson, Lloyd McKenzie
2	TI – Trust Infrastructure	TBD
3	CP – Care Provision	TBD
4	CPS – Care Provision Support	TBD
5	AS – Administrative Support	TBD
6	POP – Population Health Support	TBD
7	ISO/HL7 16527 PHR-S FM R1 PH – Personal Health S – Supportive II – Information Infrastructure	John Ritter, et al.

EHR-S FM Record Lifecycle Events on FHIR

Links

- HL7 EHR Interop Wiki:
 - http://wiki.hl7.org/index.php?title=EHR_Interoperability_WG