

EHR-S FM R2 – Record Infrastructure
Record Entry Lifecycle Event
Metadata on FHIR

Gary Dickinson
Co-Chair, HL7 EHR WG
9 January 2015

FHIR Clinical Resources

Clinical

General:

- [AllergyIntolerance](#)
- [ClinicalAssessment](#)
- [Condition \(aka Problem\)](#)
- [ReferralRequest](#)
- [Procedure](#)
- [Contraindication](#)
- [RiskAssessment](#)
- [VisionPrescription](#)

Data Collection & Care Plan:

- [Questionnaire](#)
- [QuestionnaireAnswers](#)
- [FamilyHistory](#)
- [CarePlan](#)
- [CarePlan2](#)
- [Goal](#)

Medication, Immunization & Nutrition:

- [Medication](#)
- [MedicationPrescription](#)
- [MedicationAdministration](#)
- [MedicationDispense](#)
- [MedicationStatement](#)
- [NutritionOrder](#)
- [Immunization](#)
- [ImmunizationRecommendation](#)

Diagnostics:

- [Observation](#)
- [DiagnosticReport](#)
- [DiagnosticOrder](#)
- [ImagingStudy](#)
- [ImagingObjectSelection](#)
- [Specimen](#)

FHIR Administrative Resources

Administrative

Attribution:

- Patient
- RelatedPerson
- Person
- Practitioner
- Organization
- HealthcareService

Entities:

- Contract
- Device
- DeviceComponent
- DeviceMetric
- Location
- Substance
- Group

Workflow Management:

- Encounter
- EpisodeOfCare
- Alert
- Communication
- CommunicationRequest
- Supply
- DeviceUseStatement

Scheduling / Ordering:

- Appointment
- Appointment Response
- Schedule
- Slot
- Order
- OrderResponse
- DeviceUseRequest
- ProcedureRequest

FHIR Infrastructure Resources

Infrastructure

Support:

- Media
- Basic
- Other
- Provenance ←
- SecurityEvent ←

Documents & Structure:

- List
- Composition
- DocumentReference
- DocumentManifest

Exchange:

- MessageHeader
- OperationOutcome
- Subscription
- Bundle
- Binary

Conformance:

- Conformance
- Profile
- ExtensionDefinition
- DataElement
- SearchParameter
- OperationDefinition
- ValueSet
- NamingSystem
- ConceptMap

FHIR Financial Resources

Financial

Support:

- Coverage
- EligibilityRequest
- EligibilityResponse
- EnrollmentRequest
- EnrollmentResponse
- PendedRequest
- Reversal
- StatusRequest
- StatusResponse
- SupportingDocumentation

Billing:

- ClaimResponse
- InstitutionalClaim
- OralHealthClaim
- PharmacyClaim
- ProfessionalClaim
- Readjudicate
- VisionClaim

Payment:

- PaymentNotice
- PaymentReconciliation

Other:

- ExplanationOfBenefit

Targets

- 30 September 2014
 - RecordLifecycleEvent FHIR Profile Proposal
 - http://wiki.hl7.org/index.php?title=RecordLifecycleEvent_FHIR_Profile_Proposal
- 7 December 2014
 - Complete DRAFT Proposal
 - Out for Comment Only Ballot: closes 12 Jan 2015
 - <http://hl7-fhir.github.io/iglist.html>
- 31 March 2015
 - Complete Final DRAFT Proposal
 - Ready for FHIR DSTU 2 Ballot

Now Underway


Mapping to FHIR

Requirements	Are Fulfilled by...
ISO/HL7 10781 EHR-S FM R2 Record Infrastructure (RI) → 24(+3) Record Lifecycle Events	Implementable FHIR Resources
<u>Basic Lifecycle Event</u>	<ul style="list-style-type: none">• SecurityEvent
<u>Provenance Lifecycle Event</u> when Record Entry content is originated or updated	<ul style="list-style-type: none">• SecurityEvent• Provenance• Other new/updated resource(s) → corresponding to Action Taken

↑ Resources may also be indivisibly and immutably bound by one or more digital signatures in a Record Entry.

EHR-S FM Record Lifecycle


Pre/Post Events 1-9



Pre Event State	Resource @ Event	Post Event State				
	SecurityEvent + Provenance	Added Event Evidence	Retained Pre Edition Unaltered	Added New Edition	Signed as Author	Signed as System
[none]	1 Originate/Retain	X		X	Opt	X
[Record Entry as persisted, indivisible and immutable since previous Lifecycle Event]	2 Amend	X	X	X	Opt	X
	3 Translate	X	X	X		X
	4 Attest	X	X		X	X
	5 Access/View	X				
	6 Output/Report	X				X
	7 Disclose	X				X
	8 Transmit	X				X
	9 Receive/Retain	X	X			

EHR-S FM Record Lifecycle


Pre/Post Events 10-18



Pre Event State	Resource @ Event	Post Event State				
	SecurityEvent + Provenance	Added Event Evidence	Retained Pre Edition Unaltered	Added New Edition	Signed as Author	Signed as System
[Record Entry as persisted, indivisible and immutable since previous Lifecycle Event]	10 De-Identify	X	X	X		X
	11 Pseudonymize	X				
	12 Re-Identify	X				
	13 Extract	X	X	X		X
	14 Archive	X				
	15 Restore	X				
	16 Destroy/Delete	X	[none]			
	17 Deprecate	X				
	18 Re-Activate	X				

EHR-S FM Record Lifecycle

Pre/Post Events 19-27



Pre Event State	Resource @ Event	Post Event State				
	SecurityEvent + Provenance	Added Event Evidence	Retained Pre Edition Unaltered	Added New Edition	Signed as Author	Signed as System
[Record Entry as persisted, indivisible and immutable since previous Lifecycle Event]	19 Merge	X	X	X		
	20 Unmerge	X				
	21 Link	X				
	22 Unlink	X				
	23 Add Legal Hold	X				
	24 Remove Legal Hold	X				
	25 Verify (new event)	X				
	26 Encrypt (new event)	X	X	?		
	27 Decrypt (new event)	X	X	?		

Pre/Post Entry Content and...

Record Entry Lifecycle

Lifecycle Starts: at Point of Origination/Creation as New Event

The diagram illustrates the Record Entry Lifecycle as a continuous cycle. It begins at the 'POST' stage, where a record 'Becomes Prior Event'. This leads to the 'PRE' stage, which then transitions to the 'At New Event Adds...' stage. From there, the cycle returns to the 'POST' stage, completing the loop. The lifecycle is divided into three main phases: 'Prior Event Added...', 'During Interval between Events', and 'At New Event Adds...'. The 'During Interval between Events' phase is further divided into 'Basic' and 'w/Provenance' categories. The 'Basic' category includes 'SecurityEvent' instances, while the 'w/Provenance' category includes 'Provenance' instances and 'other resource instance(s)'. The 'At New Event Adds...' phase shows how these instances are added to the record, such as 'One SecurityEvent instance', 'One bound Provenance instance', or 'One or more bound resource instance(s)'.

	<u>Prior Event</u> Added...	<u>During Interval between Events</u> Retains (at rest): Indivisibly+Immutably	PRE	<u>At New Event</u> Adds...	POST
Basic	1 SecurityEvent instance	1 or more SecurityEvent instances >> One per each prior Record Lifecycle Event	➔	<u>One</u> SecurityEvent instance	Becomes Prior Event
w/Provenance	1 Provenance instance	1 or more Provenance instances >> One per each prior Record Lifecycle Provenance Event	➔	<u>One</u> bound Provenance instance	
	1 or more other resource instance(s)	1 or more other FHIR resource instances > Corresponding to Action(s) Taken > As documented in Record Entry(ies)	➔	<u>One or more</u> bound resource instance(s)	

Originate/Retain Record Entry

With Event Evidence (RI.1.1.1.1)→
↓ At Lifecycle Event Occurrence (RI.1.1.1)

Vetted by RM-ES

- 1 The system SHALL provide the ability to capture (originate) a Record Entry instance corresponding to an Action instance and context.
- 2 The system SHALL capture a unique instance identifier for each Record Entry.
- 3 The system SHALL capture the signature event (e.g., digital signature) of the origination entry Author, binding signature to Record Entry content.
- 4 The system SHALL provide the ability to capture both structured and unstructured content in Record Entries.
- 5 The system SHALL provide the ability to capture Record Entries from information recorded during system downtime.
- 6 The system SHOULD provide the ability to integrate Record Entries from information recorded during system downtime.
- 7 The system SHALL provide the ability to capture date/time an Action was taken or data was collected if different than date/time of the Record Entry.
- 8 The system SHOULD capture metadata that identifies the source of non-originated Record Entry (e.g., templated, copied, duplicated, or boilerplate information).
- 9 The system MAY provide the ability to tag unstructured Record Entry content to organize it according to need, for example, in a time-related fashion or by application-specific groups (such as photographs, handwritten notes, or auditory sounds), or by order of relative importance.
- 10 The system MAY capture and maintain a Record Entry encoded as a standards-based data object (e.g., HL7 Continuity of Care, other HL7 CDA R2 Document, ISO 13606 artifact).
- 11 The system MAY capture and maintain a standards-based data object to mirror (be duplicate and synchronous with) internal Record Entry representation.

Fulfilled by FHIR Resource Implementation ■
Lifecycle Event Metadata (who, what, when, where, why) ■
Others to consider ■

- 1 The system SHALL audit each occurrence when a Record Entry is originated and retained.
- 2 The system SHALL capture identity of the organization where Record Entry content is originated.
- 3 The system SHALL capture identity of the patient who is subject of Record Entry content.
- 4 The system SHALL capture identity of the individual(s) who performed the Action documented in Record Entry content.
- 5 The system SHALL capture identity of the user who entered/authored Record Entry content.
- 6 The system SHALL capture identity of the system application which originated Record Entry content.
- 7 IF the source of Record Entry content is a device THEN the system SHALL capture identity of the device.
- 8 The system SHALL capture the Action as evidenced by Record Entry content.
- 9 The system SHALL capture the type of Record Event trigger (i.e., originate/retain).
- 10 The system SHALL capture date and time of Action occurrence as evidenced by Record Entry content.
- 11 The system SHALL capture date and time Record Entry content is originated.
- 12 The system MAY capture the duration of the Action evidenced by Record Entry content.
- 13 The system MAY capture the physical location of the Action evidenced by Record Entry content.
- 14 The system SHOULD capture identity of the location (i.e., network address) where Record Entry content is originated.
- 15 The system MAY capture the rationale for the Action evidenced by Record Entry content.
- 16 The system MAY capture the rationale for originating Record Entry content.
- 17 IF Record Entry content includes templates (boilerplate information) or copied (duplicated) information THEN the system SHOULD capture the source of such content.

Individuals have specific...

Action and Record Entry Roles

Action Roles	Record Entry Roles
<ul style="list-style-type: none">• Subject• Performer• Witness	<ul style="list-style-type: none">• Record Target• Author• Recorder (Enterer?)• Verifier• Attester• Informant• Source/Copy From

Example – Medication Order

Action and Record Entry Metadata

	Action Metadata	Record Entry Metadata
Who	Action Subject (Patient) Johnny Walker Role: Subject	Entry Subject (Patient) Johnny Walker Role: Record Target
	Action Organization Bay City Medical Center	
	Action Practitioner/ Performer Doctor Sally Smith Role: Performer	Entry Source – Author or Scribe Nurse Janice Jones Role: Recorder
		Entry Source – System/Device Erstwhile EHR/Device XX123456

Example – Medication Order

Action and Record Entry Metadata

	Action Metadata	Record Entry Metadata
What	Action Taken Medication Order for Ambien 20mg PRN	Entry Origination/Retention evidenced by SecurityEvent Provenance + FHIR Resources related to Medication Order MedicationPrescription, et al
When	Action Date/Time 22 Aug 2014 @ 1800	Entry Date/Time 22 Aug 2014 @ 1810
	Action Duration 3 Minutes	
Where	Action Physical Location Ward/Room B/12	Entry Location – IP Address 255.255.255.1
Why	Action Reason/Purpose To Induce Sleep	Entry Reason/Purpose <none entered>

EHR-S FM Record Infrastructure (RI) – Lifecycle Events

Plus... More Evidentiary Metadata

Vetted by RM-ES.

Lifecycle Event →	Originate Retain	Amend	Attest	Translate
Record Entry Unique ID	X			
Record Entry Content: Data, Document, Artifact ID(s)	X	X		
Digital Signature(s) – Individual(s)			X	
Digital Signature – Acting System/Device	Any/All			
Corresponding/linked Record Entry(ies)	X	X		
Pointer to Pre-Event Entry, if any: pre update/translation		X		X
Pointer to Post-Event Entry, if any: post update/translation		X		X
Amendment and/or Translation Sequence		X		X
Identity and version of Translation Tool(s), if any				X


EHR-S FM Record Infrastructure (RI) – Lifecycle Events

Plus... More Evidentiary Metadata

Vetted by RM-ES.	Lifecycle Event →	Originate Retain	Amend	Attest	Disclose Transmit
	Source of Copied Content: if copy/paste, template or boilerplate	X	X		
	Event is Known Disclosure Indicator				X
	Permissions associated with Record Entry Content	X	X		X
	Entries in Event Transaction, if multiple	Set of Entries: <ul style="list-style-type: none"> • Accessed/Viewed • Transmitted • Received • Extracted • Archived/Restored • Destroyed/Deleted • On/Off Legal Hold ... 			

A Potential Solution for Action Metadata

Abstract Attributes



Worksheets

- Based on
 - EHR-S FM R2 RI Metadata Requirements
 - Including All Evidentiary Criteria
- Basic
 - Who, What, When, Where, Why
- Evidentiary
 - Record Entry ID, Signature, Pre/Post Event States, Amendment Sequence...
- http://wiki.hl7.org/images/c/c2/EHRS-FM-Record_Lifecycle_Events_on_FHIR-Requirements-20150109.pdf

Worksheets

- Selected FHIR Resources and Attributes
 - [http://wiki.hl7.org/images/e/ee/EHRS-FM-Record Lifecycle Events on FHIR-Resource Notes-20141211.pdf](http://wiki.hl7.org/images/e/ee/EHRS-FM-Record_Lifecycle_Events_on_FHIR-Resource_Notes-20141211.pdf)
- Selected FHIR Code/Value Sets
 - [http://wiki.hl7.org/images/3/3c/EHRS-FM-Record Lifecycle Events on FHIR-Code Value Set Notes-20141110.pdf](http://wiki.hl7.org/images/3/3c/EHRS-FM-Record_Lifecycle_Events_on_FHIR-Code_Value_Set_Notes-20141110.pdf)
- Use Case Template w/Lifecycle Events
 - [http://wiki.hl7.org/images/3/34/EHRS FM R2-RI-Lifecycle Event Metadata to FHIR-Use Cases-20140828.xlsx](http://wiki.hl7.org/images/3/34/EHRS_FM_R2-RI-Lifecycle_Event_Metadata_to_FHIR-Use_Cases-20140828.xlsx)

Data Provenance Examples

- From S&I Data Provenance Community Initiative
- Examples with Record Lifecycle Events
 - http://wiki.hl7.org/images/7/79/ONC-Data_Provenance-User_Story_Examples-20140818.pdf

Before mid-March...

To Do's

- Resolve SecurityEvent → generic Event
- Add Reason (0..*) and Policy (0..*) attributes to SecurityEvent.Event
- Add Location (0..1) attribute to SecurityEvent.Participant
- Add multi-purpose (multi-signature role) Signature resource
- Resolve Action metadata: what, when, where, why
- Add “record lifecycle event” to code set for SecurityEvent.Object.type attribute

Before mid-March...

To Do's

- Front Matter – description, scope and purpose:
 - Record Lifecycle Event Implementation Guide
 - Provenance Profile
 - SecurityEvent Profile
 - Conformance Guide
- Add RelatedPerson to Practitioner|Patient|
Device choice (per Lloyd)

Before mid-March...

To Do's

- Resolve reason (including purpose of use) code set
- Resolve lifecycle code set (to include 27 Record Lifecycle Events)

Record Entry and FHIR Resources

- An EHR System manages a persistent EHR comprising Record Entries for
 - One or more provider organizations,
 - One or more individual practitioners, and
 - Many patients
- An EHR comprises
 - Many Record Entry instances
- A Record Entry instance may comprise
 - One or more FHIR Resource instance(s)
 - With signature bindings

Project Focus/Success Criteria

FHIR Enabled Lifecycle Events

Project Focus	Success Criteria
<p>Binds (joins) FHIR Resource Instance(s) together in Record Entry Instance:</p> <ul style="list-style-type: none">• Including applicable Clinical, Administrative, Infrastructure Resources• Based on Action(s) Taken	<ul style="list-style-type: none">• Complete specification of baseline Set of FHIR Resources applicable at each Record Lifecycle Event (1-27) and captured in the resulting Record Entry Instance• Allowing additional Resources to be bound in a Record Entry Instance, per Clinical, Administrative and/or other context
<p>Includes Pre- and Post-Lifecycle Event Entry States</p> <ul style="list-style-type: none">• e.g., before/after amendment or translation	<ul style="list-style-type: none">• Complete specification of how both pre- and post-lifecycle event states (of FHIR Resources) are captured and preserved in one or more Record Entries

Project Focus/Success Criteria

FHIR Enabled Lifecycle Events

Project Focus	Success Criteria
Includes Action/Event Metadata	<ul style="list-style-type: none">• Complete specification of Action/Event Metadata (in FHIR Resources) per Record Entry
Includes Attestation and Content Binding <ul style="list-style-type: none">• With/without Digital Signature	<ul style="list-style-type: none">• Complete specification of:<ul style="list-style-type: none">• Attestation and/or Digital Signature bound to Record Entry content

Dimensions of End-to-End Flow

Record Lifespan

1. Within Single System


- Starting at point of origination, in Source System
- Starting at point of receipt, in Receiving System
- Ending at point of deletion

2. Across Multiple Systems

- Starting at point of origination, in Source System
- Traversing one or more Points of Exchange
- Ending at point of deletion, in each System


Record Lifespan – End-to-End

Within Single System

Record Lifespan 		
Start	Intervening <u>Record Lifecycle Events</u> (0 to many)	End
<u>Source System</u> (1) Originate/ Retain Record Entry	(2) Amend (3) Translate (25,4) Verify, Attest (5) View/Access (6) Output/Report (7) Disclose (8) Transmit (10) De-Identify (11) Pseudo-nymize (12) Re-Identify (13) Extract (14,15) Archive, Restore (17,18) Deprecate/Retract, Re-Activate (19,20) Merge, Unmerge (21,22) Link, Unlink (23,24) Place, Remove Legal Hold (26,27) Encrypt, Decrypt	(16) Destroy
<u>Receiving System</u> (9) Receive/Retain Record Entry		(16) Destroy

Record Lifespan – End-to-End

Across Multiple Systems



Repeated at each point of exchange...

Current/Emerging Projects Related to...

EHR-S FM Record Infrastructure

- EHR Record Lifecycle Event Metadata using HL7 Fast Health Interoperable Resources (FHIR) – [this project](#)
- S&I Data Provenance
- S&I esMD
- S&I Simplification
 - S&I Use Case Requirements Analysis
 - Use Case Authoring Tool (UCAT) Development
- HL7 Functional Model Framework
 - Next Releases of EHR-S FM (R3), PHR-S FM (R2), Lab FM (?)
- HL7 Vocabulary Harmonization: EHR, Security, CBCC WGs
- Functional Profile Development: RM-ES R2, MU FP, PH FPs
- ISO 21089 Revision, Trusted End-to-End Information Flows
- ISO 13606 Revision, EHR Communication

ISO/HL7 Standard or S&I Activity →		ISO TC215 – Stds. Infrastructure Frame In development	ISO 21089:2004 Trusted End to End Published TR	ISO 21089:2014 Trusted End to End In development	ISO/HL7 10781 EHRS FM R2:2014 Published	ISO/HL7 16527 PHRS FM R2 In development	ISO 19669 – Re- Usable Use Case In development	ISO 13606 – EHR Communication In Revision	HL7 EHR Lifecycle Model DSTU:2008 Published	HL7 RM-ES FP R2 In Development	HL7 Record Lifecycle on FHIR In Development	US S&I Simplification	US S&I Data Provenance
Record Lifecycle Event ↓ (EHR-S FM RI.1.1.x)													
1	Originate/Retain Record Entry	X	X	X	X	X	X		X	X	X	X	TBD
2	Amend Record Entry	X	X	X	X	X	X		X	X	X	X	
3	Translate Record Entry	X	X	X	X	X	X		X	X	X	X	
4	Attest Record Entry	X		X	X	X	X		X	X	X	X	
5	View/Access Record Entry	X	X	X	X	X	X		X	X	X	X	
6	Output/Report Record Entry	Exchange	X	X	X	X	X	X	X	X	X	X	
7	Disclose Record Entry		X	X	X	X	X	X	X	X	X	X	
8	Transmit Record Entry		X	X	X	X	X	X	X	X	X	X	
9	Receive/Retain Record Entry		X	X	X	X	X	X	X	X	X	X	
10	De-Identify Record Entry		X	X	X	X	X		X	X	X	X	
11	Pseudo-nymize Record Entry		X	X	X	X	X		X	X	X	X	
12	Re-Identify Record Entry		X	X	X	X	X		X	X	X	X	
13	Extract Record Entry		X	X	X	X	X		X	X	X	X	
14	Archive Record Entry		X	X	X	X	X		X	X	X	X	
15	Restore Record Entry		X		X	X	X		X	X	X	X	
16	Destroy Record Entry		X	X	X	X	X		X	X	X	X	
17	Deprecate/Retract Record Entry		X		X	X	X			X	X	X	
18	Re-Activate Record Entry		X		X	X	X			X	X	X	
19	Merge Record Entry		X		X	X	X			X	X	X	
20	Unmerge Record Entry		X		X	X	X			X	X	X	
21	Link Record Entry		X		X	X	X			X	X	X	
22	Unlink Record Entry		X		X	X	X			X	X	X	
23	Place Legal Hold on Record Entry		X		X		X			X	X	X	
24	Remove Legal Hold on Record Entry		X		X	N/A	X			X	X	X	
25	Verify Record Entry Content		X	X		X	X		X	X	X	X	
26	Encrypt Record Entry		X			X	X			X	X	X	
27	Decrypt Record Entry		X			X	X			X	X	X	
Applicable Lifecycle Events →		27	15	27	24	25	27	4	16	27	27	27	?

ISO/HL7 10781 EHR System Functional Model Release 2

CRUDE per Record Lifecycle

	ISO/HL7 10781 EHRS FM R2 – Record Lifecycle Events																								New		
	1 Originate/retain	2 Amend	3 Translate	4 Attest/sign	5 Access/view	6 Output/report	7 Disclose	8 Transmit	9 Receive/retain	10 De-identify	11 Pseudonymize	12 Re-identify	13 Extract	14 Archive	15 Restore	16 Destroy	17 Deprecate	18 Re-activate	19 Merge	20 Unmerge	21 Link	22 Unlink	23 + Legal Hold	24 – Legal Hold	25 Verify	26 Encrypt	27 Decrypt
Create	X			X					X																		
Read					X																						
Update		X	X	X						X	X	X	X	X	X		X	X	X	X	X	X	X	X	X	X	X
Delete																X											
Execute																											
Pre			X	X						X	X		X													X	
Exchange						X	X	X	X																		
Post			X							X	X	X	X														X

Longer Term...

Project Segments/Leads

		Leads
1	ISO/HL7 10781 EHR-S FM R2 RI – Record Infrastructure RM-ES – Records Management/ Evidentiary Support	Gary Dickinson, Reed Gelzer, MD, Lloyd McKenzie, John Moehrke, Diana Warner
2	TI – Trust Infrastructure	TBD
3	CP – Care Provision	TBD
4	CPS – Care Provision Support	TBD
5	AS – Administrative Support	TBD
6	POP – Population Health Support	TBD
7	ISO/HL7 16527 PHR-S FM R1 PH – Personal Health S – Supportive II – Information Infrastructure	John Ritter, et al.

EHR-S FM Record Lifecycle Events on FHIR

Links

- HL7 EHR Interop Wiki:
 - http://wiki.hl7.org/index.php?title=EHR_Interoperability_WG