

December 2013 EHR Work-Group (EHR WG) Cumulative FY14 Summary-Report

Last Updated on Dec 10, 2013 by SHufnagel@tiag.net, facilitator Edmond Scientific subcontractor to Veterans Health Administration/ Health Informatics/ Office of Informatics & Analytics/ Knowledge Based Systems The complete-and-latest version of the Summary-Report is available at: <u>http://wiki.hl7.org/images/0/0a/Hufnagel - FY2014 HL7-EHR-WG Summary-Report.pdf</u>

EXECUTIVE SUMMARY Release-3 EHR-S and PHR-S FIM

This executive-summary and report specifically address potential EHR impacts and/or EHR trends, which are important for the VA, IPO and DOD to-be aware-of.




Figure 1 HL7 EHR-S FIM release-3 Relationship with HL7 RIM-and-FHIR [Jan 2012 PSS #688]

INTRODUCTION: the *purpose* of this report is to document the EHR-and-PHR System release-3 Function–and-Information-Model (FIM) development and related projects; where, EHR-S FIM release-3 restructures and adds an information model to the release-2 EHR-S FM. An agile approach is being followed, where monthly report-content is refined; until ultimately, the report can be generated by the Sparx Enterprise Architect tool as a demonstration of the release-3 FIM "Easy-Button" Interoperability-Specification (IS) report-generation capability. All EHR WG release-3 FIM working-draft documentation is published at http://wiki.hl7.org/index.php?title=EHR Interoperability WG.

LEGEND:

- 1) <u>Capitalized and Underlined</u> nouns-and-adjectives are <u>Record-Entry</u> data-types aka data-model, which should be in the EHR-S FM data dictionary; and, *italicized* verbs are *manage* sub-types aka verb-hierarchy. See <u>www.skmtqlossary.org</u> for standard healthcare data-dictionary / glossary.
- 2) Blue-Bold words are recommended -additions to original text.
- 3) Red-Bold words are recommended-deletions from the original text.
- 4) Highlighted Yellow words are issues-Actions and/or important new material for the main EHR WG to-review.

GOAL: The *goal* of the <u>Electronic Health Record (EHR) Work Group (WG)</u> is to support the HL7 mission of developing standards for EHR data, information, functionality, and interoperability. The Work Group creates and promotes appropriate and necessary standards. EHR WG *objectives* include:

- 1) Functional-and-Information Requirements-Specifications for Electronic Health Records (EHR) and systems (EHR-S),
- 2) Functional-and-Information Requirements-Specifications for Personal Health Records (PHR) and systems (PHR-S),
- 3) Definition of a high-level framework to support the interoperability requirements-specifications and life cycles, and
- 4) Identification of existing and emerging information interoperability-requirements and related HL7 artifacts.
- A Jan 2012 Project #688 System Function-and-Information Model release-3 (EHR-S FIM r3) objective of the EHR Interoperability WG is an UML-specified EHR/PHR Concept-of-Operations (CONOPS), Reference Model (RM), setof Function Use-Cases with Conformance-Criteria Scenarios; where, EHR-S FIM r3 is to-be
 - o create a clear, complete, concise, correct, consistent and easy-to-use; because,
 - HL7 ballot-publishable from the Sparx Systems Enterprise-Architect tool
 - o targeted for 3-to-5 years from now; because,
 - joint ISO-HL7 ballots are very challenging to manage and
 - sufficient-time is needed to address the structural issues identified by the EHR-S FM r2 ballot; where, VA voted negative, due to inconsistency, non-intuitiveness and unnecessary-complexity/non-usability.
- A second-objective of the EHR Interoperability WG is to produce a Meaningful Use profile for EHR-S FM r2 and r3.
- The objective of the <u>Resource Management Evidentiary Support (RM-ES) project team</u> is to provide expertise to the EHR work group, other standards groups and the healthcare industry on records management, compliance, and data/record integrity for, EHR systems and related to EHR governance to support the use of medical records for clinical care and decision-making, business, legal and disclosure purposes.
- The *objective* of the <u>EHR Usability Project</u> is to translate existing, well established usability guidelines and health information management principles into functional conformance-criteria in the EHR-S FM standard.

SITUATION EHR-S and PHR-S FIM '2016 Release-3 Preparation

The **benefit** of a formally specified EHR-and-PHR **Concept-of-Operation** (CONOPS) and **Reference Model** (RM) is a clear, complete, concise, correct and consistent Function-and-Information Model (FIM) and resultant Interoperability-Specifications (ISs). An EHR/PHR CONOPS was defined; and than, it was refined into a System **Reference-Model** (RM); where,

1) System Functions are defined-by Use-Case; where,

- a) System-operations are verbs refined into a "manage verb-hierarchy" aka operation-type model,
- b) System-entities are subject-and-object nouns refined into a "Record-Entry data-model" aka data-type model
- c) Terminology value-sets are bound-to discrete-data-elements within each <u>Record-Entry</u>.
- 2) **Conformance Criteria** are defined-by scenarios within each use-case; where, scenarios contain business-context and subject-verb-object-terminology bindings; where,
- 3) Business-Context is defined-by
 - a) pre-condition triggers,
 - b) applicability of
 - i) "The System SHOULD or SHALL or MAY"
 - ii) "provide-the-ability-to-manage Record-Entries" or "directly-manage Record-Entries," where,
 - (1) a use-case constrained verb-hierarchy applies and
 - (2) a use-case constrained data-model applies; where,
 - c) post-condition Business-Rules are

"according-to scope-of-practice, organizational-policy, jurisdictional-law, and patient-preferences."

- 4) Information-Exchanges are defined-by scenarios mapped to
 - a) FHIR (Fast Healthcare Interoperability Resource) specifications, for the International-Realm,
 - b) FHIM (Federal Health Information Model) specifications, for the US-Realm, bound to
 - c) Terminology value-sets,
 - d) IHE information-exchange behavioral-protocols, which may-be refined-or-replaced by,
 - SLA and DURSA (Service-level-agreement Data-Use-and-Reciprocal-Support-Agreement) and
 - **KPPs** (Key Performance Parameters).
 - **Cost** estimation factors
- 5) **EHR-S/PHR-S Profiles** are defined-by a set-of System-Function Use-Cases, with further constrained scenario' Applicability, business-context and subject-verb-object-terminology bindings.
- 6) Interoperability-Specifications are generated with the FIM r3 reporting-tool.

ACTIONS

- 1. HL7 Board approval of EHR-S FIM Release-3 open-IP; where, the EHR-S FIM home page is www.hl7.org/EHRSFIM
- 2. FHIR WG Coordination to integrate EHR-S FIM-FHIR into a joint Sparx Enterprise Architect (EA) model; where, EA can generate integrated EHR-S FIM-FHIR International-Realm interoperability requirements-specifications
- 3. FHIM Team Coordination to integrate EHR-S FIM-FHIR-FHIM into a joint Sparx Enterprise Architect (EA) model; where EA can generate integrated EHR-S FIM-FHIR-FHIM US-Realm interoperability requirements-specifications
- Call-for-Participation in EHR-S/PHR-S FIM r3 based on a common EHR-S/PHR-S RM (Reference Model), where, 6 Full Time Equivalent (FTE) level-of-effort is estimated (2-FTEs per-year for three-years) Calls every-Tuesday, 1PM ET, + 1-770-657-9270, PC 510269# and please joint EHR Interoperability ListServer

Release-3 EHR-S and PHR-S FIM Plan-of-Actions & Milestones Dashboard

Flair-Ul-AC		5 04 11	mesu	unes	Dashboard
POA&M Task	#	Start	Done	POC	Comment
CONOPS		12-2013	12-2013	SH. GD	Potential for minor changes in the future
Reference Model		06-2013	12-2013	SH, GD	Potential for minor changes in the future
manage operation-type			05-2013	EHRWG	Verb-Hierarchy was part of r2 ballot
Record-Entry data-types		01-2012	activ e	SH, GD	Data-Model to-be refined for each function
www.HL7.org/EHRSFIM		01-2014		EHRWG	ISSUE: Open IP approval by board
FHIR Integration		01-2014		EHRWG	ISSUE: Integrated or linked models?
FHIM Integration		01-2014		EHRWG	ISSUE: Integrated or linked models?
EHR-S FIM r3 Resources	6	01-2014		EHRWG	ISSUE: 6 FTEs for EHR-S & PHR-S FIM r3
Other work (Pub., FHIR, FHIM)		pending	1-2017	EHRWG	1 FTE
EHR-S specific work		pending	1-2017	EHRWG	1 FTE
PHR-S specific work		pending	1-2017	EHRWG	1 FTE
EHR-S and PHR-S FM Modelling specific	143	1-2014	1-2017	Interop	3 FTEs = 1 week-per-function (143)
Care Provision	37				
CP.1 Manage Clinical History	9	pending			
CP.2 Render Externally Sourced Information	2	pending			
CP.3 Manage Clinical Documentation	6	pending			
CP.4 Manage Orders	7	01-2012	inactiv e	SH, GD	$\sqrt{2012}$ prototy pe \rightarrow Todo w rt RM
CP.5 Manage Results	2	01-2012	inactiv e	SH, GD	$\sqrt{2012}$ prototy pe \rightarrow Todo w rt RM
CP.6 Manage Treatment Administration	3	01-2012		SH, GD	$\sqrt{2012}$ prototy pe \rightarrow Todo w rt RM
CP.6.1 Medication Management		10 0010	inactiv e		
CP.6.2 Immunization Management	2	10-2013	activ e		Use case done, CCs in progress
CP.7 Manage Future Care	3	pending			
CP.8 Manage Patient Education & Communication	2	pending			
CP.9 Manage Care Coordination & Reporting	3	pending			
Care Provision Support	67				
CPS.1 Record Management	14	pending			
CPS.2 Support Externally Sourced Information	9	pending			
CPS.3 Support Clinical Documentation	13	pending			
CPS.4 Support Orders	10	pending			
CPS.5 Support for Results	1	pending			
CPS.6 Support Treatment Administration	5	pending			
CPS.7 Support Future Care	2	pending			
CPS.8 Support Patient Education &	7	pending			
Communication CPS.9 Support Care Coordination & Reporting	6	nonding			
Population Health Support	17	pending			
POP.1 Support for Health Maintenance,	3	pending			
Preventive Care and Wellness	5				
POP.2 Support for Epidemiological	1	pending			
Investigations of Clinical Health Within a					
Population					
POP.3 Support for Notification and Response	1	pending			
POP.4 Support for Monitoring Response	1	pending			
Notifications Regarding a Specific Patient's Health					
POP.5 Donor Management Support	1	pending		1	
POP.6 Measurement, Analysis, Research and Reports	6	pending			
POP.7 Public Health Related Updates	1	pending			
POP.8 De-Identified Data Request	1	pending			
Management	1	pononig			
POP.9 Support Consistent Healthcare	1	pending			
Management of Patient Groups or Populations					
POP.10 Manage Population Health Study -	1	pending			

POA&M Task	#	Start	Done	POC	Comment
Related Identifiers					
Administration Support	22				
AS.1 Manage Provider Information	8	pending			
AS.2 Manage Patient Demographics, Location	1	pending			
and Synchronization					
AS.3 Manage Personal Health Record	3	pending			
Interaction					
AS.4 Manage Communication	5	pending			
AS.5 Manage Clinical Workflow Tasking	5	pending			
AS.6 Manage Resource Availability	7	pending			
AS.7 Support Encounter/Episode of Care	6	pending			
Management					
AS.8 Manage Information Access for	6	pending			
Supplemental Use					
AS.9 Manage Administrative Transaction	6	pending			
Processing					
Trust Infrastructure					
TI.1 Security	25	01-2012	Inactiv e	GD, SH	$\sqrt{2012}$ prototy pe \rightarrow Todo w rt RM
TI.2 Audit	1	01-2012	inactiv e	GD, SH	$\sqrt{2012}$ prototy pe \rightarrow Todo w rt RM
TI.3 Registry and Directory Services	1	pending			
TI.4 Standard Terminology and Terminology	1	pending			
Services					
TI.5 Standards-Based Interoperability	6	pending			
TI.6 Business Rules Management	1	pending			
TI.7 Workflow Management	1	pending			
TI.8 Database Backup and Recovery	1	pending			
TI.9 System Management Operations and	1	pending			
Performance					
Record Infrastructure					
RI.1 Record Lifecy cle and Lifespan	25		inactiv e	GD, SH	
RI.1.1.2 Record Entry Create		12-2012			$\sqrt{2012}$ prototy pe \rightarrow Todo w rt RM
RI.2 Record Synchronization	1	pending			
RI.3 Record Archive and Restore	1	pending			

WORKGROUP AND PROJECT LOGISTICS

• HL7 List Server Registration:

http://www.hl7.org/myhl7/managelistservs.cfm

- HI7 Workgroup Call-Schedule:
- EHR WG Wiki:

http://www.hl7.org/concalls/default.aspx http://wiki.hl7.org/index.php?title=EHR

Health Level Seven – Electronic Health Record Work Group Weekly Teleconference Schedule Revised: 20 November 2013						
Day	Time US ET	Activity	Lead(s)	Dial-In	Screen Sharing	List Server (for agendas, announcements)
Mon	1200	Records Management/ Evidentiary Support	Warner, Gelzer	1-877-668-4493 Code 927 002 088#	<u>Link</u>	EHR Legal
	1300	EHRS FM Release 3 Planning	Hufnagel, Dickinson	1-770-657-9270, Passcode 510269#	<u>Link</u>	EHR Interop
Tues	1400	Meaningful Use Functional Profile	Datta, Dickinson	1-770-657-9270, Passcode 510269#	<u>Link</u>	EHR Interop
	1500	FULL EHR WG	Co-Chairs	1-770-657-9270, Passcode 510269#	<u>Link</u>	EHR WG
Wed	1200	Personal Health Record WG	Ritter, Dickinson, Doo	1-770-657-9270, Passcode 510269#	TBA	EHR PHR
wea	1300	EHR System Usability WG	Mon, Ritter, Rocca, Gartner	1-770-657-9270, Passcode 510269#	<u>Link</u>	EHR Usability
Thur	Open					
Fri	0930	EHR WG Co-Chairs	Co-Chairs	1-770-657-9270, Passcode 510269#	ТВА	N/A

EHR CCD to Blue Button Tool Project Wiki
 This project defined the conversion of an HL7 Continuity of Care
 Document (CCD) to the Blue Button format via an XSLT style sheet tool.

Project contact: Lenel James and Keith Boone . List Service: EHRTeamCCD@lists.hl7.org

- **EHR-S FM Profile Tool Project Wiki** This project, sponsored by the HL7 Tooling Workgroup, will produce a (web-based and/or desktop) tool to create EHR-S FM profiles (starting with the EHR-S FM R2), with enforced profiling rules, and exports as documents, support for and XML interchange format for reuse across profile tool instances or for use in other tools. Project contact: John Ritter; <u>iohnritter1@verizon.net</u>
- **EHR Usability Project Wiki** This project has been launched to translate existing, well established usability guidelines and health information management principles into functional criteria in the EHR System Functional Model (EHR-S FM) standard. Project contact: John Ritter, Don Mon, Mitra Rocca and Walter Suarez List Service: ehrwgusability@lists.hl7.org
- PHR Project Wiki The HL7 Personal Health Record System Functional Model provides a reference list of functions that may be present in a Personal Health Record System (PHRS).
 Project contact: John Ritter; johnritter1@verizon.net
- Diabetes Data Strategy Project Wiki The scope for this project is to focus on the minimum data set and data standards in EHR systems for diabetes assessment in children in outpatient clinic settings, based on clinical and business requirements. Project contact: Don Mon; donmon@rti.org

REFERENCE INFORMATION

1) Common Clinical informatics standards:

- a) **SNOMED CT** for problems, smoking status
- b) DICOM for radiology
- c) LOINC for laboratory anatomical pathology, LOINC taxonomy for document types for inpatient notes
- d) **RxNorm** for pharmacy
- e) CVX and MVX for immunology
- f) HITSP C32, HL7 CCD and CCDA-CCD for VLER Health data
- ICD9 CPT4/HCPCS ICD9PCS for TRICARE billing data.
 ICD-10 and SNOMED CT for outpatient visits, ICD-10 and
- i) CPT4 and HCPCS for procedures
- i) **PDA-F** for scanned paper reports
- k) CDC value set race codes for demographics
- UCUM for units of lab measures
- m) NUCC Health provider tax onomy for provider types

2) Common technical standards:

- a) **CTS** or Common Terminology Service
- b) FHIR or Fast Healthcare Interoperability Resource with RESTful API.
- c) **CDS** or Clinical Decision Support API
- d) **CCDA** is Consolidated CDA
- e) VPR or Virtual Patient Record
- f) **RDF** or Resource Description Framework for semantic web applications
- g) **RLUS** or Retrieve Locate Update Service for heterogeneous database facades
- h) JSON or JavaScript Object Notation
- i) WS* or Web Service Standards

3) EHR-S FM r2.0 Perspectives

- a) Care Provision
 - i) CP.1 Manage Clinical History
 - ii) CP.2 Render Externally Sourced Information
 - iii) CP.3 Manage Clinical Documentation
 - iv) CP.4 Manage Orders
 - v) CP.5 Manage Results
 - vi) CP.6 Manage Treatment Administration
 - vii) CP.7 Manage Future Care
 - viii) CP.8 Manage Patient Education & Communication
 - ix) CP.9 Manage Care Coordination & Reporting

b) Care Provision Support

- i) CPS.1 Record Management
- ii) CPS.2 Support Externally Sourced Information
- iii) CPS.3 Support Clinical Documentation
- iv) CPS.4 Support Orders
- v) CPS.5 Support for Results
- vi) CPS.6 Support Treatment Administration
- vii) CPS.7 Support Future Care
- viii) CPS.8 Support Patient Education & Communication
- ix) CPS.9 Support Care Coordination & Reporting

c) Population Health Support

- POP.1 Support for Health Maintenance, Preventive Care and Wellness
- ii) POP.2 Support for Epidemiological Investigations of Clinical Health Within a Population
- iii) POP.3 Support for Notification and Response
- iv) POP.4 Support for Monitoring Response Notifications Regarding a Specific Patient's Health
- v) POP.5 Donor Management Support
- vi) POP.6 Measurement, Analysis, Research and Reports

- vii) POP.7 Public Health Related Updates
- viii) POP.8 De-Identified Data Request Management
- ix) POP.9 Support Consistent Healthcare Management of Patient Groups or Populations
- x) POP.10 Manage Population Health Study-Related Identifiers

d) Administration Support

- i) AS.1 Manage Provider Information
- ii) AS.2 Manage Patient Demographics, Location and Synchronization
- iii) AS.3 Manage Personal Health Record Interaction
- iv) AS.4 Manage Communication
- v) AS.5 Manage Clinical Workflow Tasking
- vi) AS.6 Manage Resource Availability
- vii) AS.7 Support Encounter/Episode of Care Management
- viii) AS.8 Manage Information Access for Supplemental Use
- ix) AS.9 Manage Administrative Transaction Processing

e) Trust Infrastructure

- i) TI.1 Security
- ii) TI.2 Audit
- iii) TI.3 Registry and Directory Services
- iv) TI.4 Standard Terminology and Terminology Services
- v) TI.5 Standards-Based Interoperability
- vi) TI.6 Business Rules Management
- vii) TI.7 Workflow Management
- viii) TI.8 Database Backup and Recovery
- ix) TI.9 System Management Operations and Performance
- f) Record Infrastructure
 - i) RI.1 Record Lifecy cle and Lifespan
 - ii) RI.2 Record Synchronization
 - iii) RI.3 Record Archive and Restore

4) FHIR (Fast Healthcare Interoperability Resources)

-) FHIR Data Dictionary is at:
- http://www.hl7.org/implement/standards/fhir/

b) FHIR Administrative

- i) Attribution: Patient, RelatedPerson, Practitioner, Organization
- ii) Resources: Device, Location, Substance, Group
- iii) Workflow Management: Encounter, Alert, Supply, Order, OrderResponse
- iv) Financial: Coverage

c) FHIR Clinical

- i) General: AdverseReaction, Allergy Intolerance, CarePlan, Family History, Condition, Procedure, Questionnaire
- Medications: Medication, MedicationPrescription, MedicationAdministration, MedicationDispense, MedicationStatement, Immunization, ImmunizationProfile
- iii) Diagnostic: Observation, DiagnosticReport, DiagnosticOrder, ImagingStudy, Specimen
- iv) Device Interaction: DeviceCapabilities, DeviceLog, DeviceObservation
- d) FHIR Infrastructure
 - i) Support: List, Media, Other, DocumentReference, (Binary)
 - ii) Audit: Provenance, Security Event
 - iii) Ex change: Document, Message, OperationOutcome, Query

Page 7

iv) Conformance: Conformance, ValueSet, Profile

e) Acronyms

- aka also know n as
- CC EHR-S FIM Conformance Criteria
- CDA Clinical Document Architecture
- DD Data Dictionary
- CIM Conceptual Information Model
- **CP** Care Provision
- CPS Care Provisioning Support
- EA Enterprise Architect
- EHR-S EHR System
- EHR-S FIM EHR-S Function-and-Information Model
- FHA US Federal Health Architecture
- FHIM US Federal Health Information Model
- FHIR Fast Healthcare Interoperability Resources
- **FIM** EHR-S Function and Information Model
- FIM(MU) EHR-S FIM Meaningful Use profile

- FM Function Model
- FY Fiscal Year


•

•

•

- IHE Integrating the Healthcare Enterprise
- IM Information Model
 - MDHT Model Driven Health Tools
 - MU US Meaningful Use objectives-and-criteria
 - ONC US Office of the National-Coordinator
- OHT Open Health Tools
- POA&M Plan of Actions and Milestones
- R 2/3 Release 2 or 3
- RI Resource Infrastructure
- **RIM** HL7 Reference Information Model
- S&I ONC Standards & Interoperability Framework
- WBS Work Breakdown Structure
- WG Work Group

2	1	November 2013
3		
4		MONTHLY SUMMARIES
5		(Reverse Chronological Order)
6	1	November 2013
7	-	For details see http://wiki.hl7.org/images/8/83/HL7_EHR-WG_Summary-Presentation_November_2013.pdf
8		
9	1)	EHR WG is waiting on the EHR-S FM Release-2 ISO ballot comments; where, the HL7 release-2
10	• ,	ballot-comments have already been reconciled. The ISO ballot closes on 3-Dec-2013; and then, the
11		ISO-ballot-comments can be reconciled during December-and-January and EHR-S FM release-2
12		can be finalized in January 2014. The EHR WG has also been updating the EHR-S FM release-2
13		add-on to the Sparx EA-tool to support the creation of profiles.
14	2)	PHR WG is waiting on the PHR FM Release-2 ISO ballot-comments, which close 3-Dec-2013 and
15		will be reconciled during December-and-January; where, the HL7 release-2 ballot-comments have
16		already been reconciled.
17	3)	EHR RMES WG is discussing release authorization within the S&I Framework esMd group; where,
18		esMD is analyzing the situation where healthcare-payers frequently request that providers submit
19		additional medical-documentation for a specific claim, to support claims processing and other
20 21		administrative functions, such as the identification of improper payments. Currently, Medicare Review Contractors request approximately 2 million medical documents per year by mailing a paper
22		request letter via US Postal Service to healthcare providers. Until recently, providers had only two
23		options for submitting the requested records: 1) mail paper or 2) send a fax. The manual paper
24		process is costly, time consuming and can delay proper claims processing on both the senders' and
25		receivers' end.
26	4)	EHR Usability WG is collecting issues and mitigations into a reference library, which can be the
27		basis of integrating usability into the release-3 EHR-S FIM.
28	5)	EHR Interoperability WG focused on the May-2014 Meaningful-Use Profile for the EHR-S FM
29		release-2 and preparation for release-3:2016; where, the November release-3 focus was to define
30		Reference-Models for Concept-of-Operations, Function Information-and-Conformance-Criteria:
31		• Figure 1 HL7 EHR-S FIM release-3 Relationship with HL7 RIM-and-FHIR [Jan 2012 PSS#688]
32		Figure 2 EHR/PHR Concept-of-Operations (CONOPS)
33		Figure 3 EHR-S/PHR-S RM Figure 4 EHR/DHR DNA Operation Types Medal () (arthe Historethy)
34 25		Figure 4 EHR/PHR-RM Operation-Types Model (Verb-Hierarchy
35		Figure 5 EHR/PHR-RM Data-Types Model Figure 6 CB 6 2 Immunization Management Line Case
36 37		 Figure 6 CP.6.2 Immunization-Management Use-Case Figure 7 CP.6.2#01 Immunization-Management Conformance-Criteria
38 39		 Figure 8 EHR-S FIM-FHIR-FHIM Requirements-Specification Relationship Figure 9 Example EHR-S FIM-FHIR Requirements-Specifications
39 40		 Figure 9 Example EHR-S FIM-FHIR Requirements-Specification Figure 10 Example EHR-S FIM-FHIR-FHIM Requirements-Specification
40 41		



45

50

51

54


56

Figure 2 EHR/PHR Concept-of-Operations (CONOPS)

- EHR-S Concept-of-Operations (CONOPS) Use-Case A <u>Clinician</u> and <u>Patient</u> and/or their designated <u>Agents</u> have
 <u>Encounters</u>; where, they use a System <u>GUI</u> (Graphical-User-Interface) to manage <u>Record-Entries</u> and <u>EMRs</u> (Electronic
 Medical Records); where,
- 49 The <u>System</u>, based-on <u>Business Rules</u>,
 - establishes pre-conditions to trigger information flow
 - determines (SHALL/SHOULD/MAY) applicability for the System to-provide-the ability-to-manage or directly-manage
- 52 maintains post-conditions in accordance with
- scope-of-practice, organizational-policy,
 - jurisdictional-law, and patient-preferences.
- The <u>Clinician</u>, <u>Patient</u> (or their designated agent) can
 - review the <u>Patient</u> <u>EMR</u> (Electronic Medical Record) and associated <u>Information</u>
- observe and treat the Patient, write Orders, document the Encounter, provide Information

- provide patient-<u>Information</u> and educational-<u>Information</u>
- enter EMR <u>Records</u> and associated <u>Information;</u> where,
 - Record Entries are Orders, Treatments, Observations and associated Information
 - Lists are Care-Plans, Care-Records, Findings, Problems-and-Concerns, Documents & Notes
 - sign Encounter by the Clinician(s) and/or the Patient
- Conformance-Criteria are Scenario threads-of-execution through the Use-Case or Model.
- 64

61 62



65 66


Figure 3 EHR-S/PHR-S RM

67 The EHR Reference-Model (RM)¹ [based-on OASIS RM definition]

- 68 1. Establishes pre-conditions
- 69 2. Defines applicability (The System SHALL/SHOULD/MAY "provide-the-ability to manage" or "directly-manage")
- 70 3. Structures <u>Record-Entry</u> relationships


¹ According to the Organization for the Advancement of Structured Information Standards (**OASIS**) a reference model is "an abstract framework for understanding significant relationships among the entities of some environment, and for the development of consistent standards or specifications supporting that environment. A reference model is based on a small number of unifying concepts and may be used as a basis for education and explaining standards to a non-specialist. A reference model is not directly tied to any standards, technologies or other concrete implementation details, but it does seek to provide a common semantics that can be used unambiguously across and between different implementations."

 EHR/PHR system RM is based on a functional-use-case constrained <u>hierarchical-lexicon</u> of nouns (Record-Entry data-types) and <u>non qualifiers</u>. yerbs (manage operation-types) and <u>verb qualifiers</u> with conditions (Business Rules based on laws, policies, preferences); where, Conformance Criteria approxematics; where, Functions Canformance-Criteria approxematics; where, Functions can-be linked-to Informatics: where, Functions can-be linked-to Information Exchanges (IEs), IEs can-be linked-to Information Exchanges (IEs), IEs can-be linked-to Information Exchanges (IEs), Jestimate-condition; where, A System-Function (SF) Use-Case is a constrained-scope and refined-detail System Reference-Model; where, S Formance-Criteria are System-Action scenario-threads through the SF Use-Case Model containing: System function (SF) Use-Case is a constrained-scope and refined-detail System Reference-Model; where, S Conformance-Criteria are System-Action scenario-threads through the SF Use-Case Model containing: System Identifier (EHR or PHR) System Function (SF) Use-Case (SF CC Procendition (trigger) SF CC Prosendition (trigger) SF CC Applicability The System SHALL, SHOULD or MAY SF CC Applicability The System SHALL, SHOULD or MAY ''''''''''''''''''''''''''''''''''''	71		 defined-by system operation-and-data models; where,
74 • verbs (manage operation-types) and verb qualifiers with 75 • conditions (Business Rules based on laws, policies, preferences); where, 76 • Conformance-Criteria syntax-and-semantics; where, 77 • Function Conformance-Criteria and their profiles constrain the manage sub-types, <u>Record-Entry</u> sub-types 78 • Function Conformance-Criteria and their profiles constrain the manage sub-types, <u>Record-Entry</u> sub-types 78 • Function Conformance-Criteria and their profiles constrain the manage sub-types, <u>Record-Entry</u> sub-types 79 • Escan-be linked-to information Exchanges (IEs), 70 • IEs can-be linked-to information Exchanges (IEs), 71 • System-Function (SF) Use-Case is a constrained-scope and refined-detail System Reference-Model; where, 72 SF Conformance-Criteria are System-Action scenario-threads through the SF Use-Case Model containing: 71 SF Invariant-condition (context) 76 • Profile Identifier 77 • SF CC Procondition (tigger) 78 • Pre-condition is a verb-clause. 79 • SF CC Applicability 79 • The System Function or System-Action then, 79 • SF CC Applicability 79 • The System ShALL, SHOULD or MAY 79 • T	72		 EHR/PHR system RM is based-on a functional-use-case constrained <u>hierarchical-lexicon</u> of
 <u>conditions</u> (Business Rules based on laws, policies, preferences); where, Conformance Criteria (CC) are use-case <u>scenario-threads</u> (context and subject-verb-object bindings). Jefines Conformance-Criteria and their profiles constain the <i>manage</i> sub-lypes, <u>Record-Entry</u> sub-lypes Function conformance-Criteria and their profiles constain the <i>manage</i> sub-lypes, <u>Record-Entry</u> sub-lypes Functions can-be linked-bo Information Exchanges (IES), Maintains post-conditions; where, Maintains post-conditions; where, A System-Function (SF) Use-Case is a constrained-scope and refined-detail System Reference-Model; where, SF conformance-Criteria are System-Action scenario-threads through the SF Use-Case Model containing: SF Invariant-condition (context) System Function (SF) Identifier System Function (SF) Identifier System Function (SF) Identifier Profile Identifier SF CC Centrifier (Number) SF CC Centrifier (Number) SF CC Capticability Pre-condition (rigger) Pre-condition (rigger) Pre-condition (system-Action; then, SF CC System-Action Side-or other-SF C Shata-Type are associated-with other Data-Types Information Exchange(S) <i>are linked-to</i> Nearantics: (e.g., FHIR) Nearantics: (e.g., Consolidated CDA) Nearantinteroperability-Specifications (e.g., FHIR) Neara	73		 <u>nouns</u> (<u>Record-Entry</u> data-types) and <u>noun qualifiers</u>,
 Conformance Criteria syntax-and-semantics; where, Function Conformance-Criteria syntax-and-semantics; where, Function Conformance-Criteria and their profiles constrain the manage sub-types, <u>Record-Entry</u> sub-types Functions can-be linked-to information Exchanges (IEs), IEs can-be linked-to implementation standards-technologies-paradigms-and-patterns (e.g., FHIR, FHIM, IHE). Maintains post-conditions; where, A System-Function (SF) Use-Case is a constrained-scope and refined-detail System Reference-Model; where, SF Conformance-Criteria are System-Action scenario-threads through the SF Use-Case Model containing: SF Invariant-condition (context) System Identifier (EHR or PHR) System Function (SF) Identifier System Function (SF) Identifier System Function (igger) SF CC Pre-condition (rigger) Profile Identifier SF CC Applicability SF CC Applicability The System SHALL, SHOULD or MAY "ordire-the-ability-to" SF CC System-Action Bindings Operation linked-to Data-Type; where, conditionally, the System-Action and or on orter-SF Data-Type are associated-with other Data-Types Information Exchange(s) are linked-to in memational Interoperability-Specifications (e.g., FHIR) in Readm Interoperability-Specifications (e.g., FHIR) in Readm Interoperability-Specifications (e.g., FHIR) Neational Exchange(s) are linked-to International Interoperability-Specifications (e.g., IHIR) Neational Interoperability-Specifications (e.g., IHIR) Readm Interoperability-Specifications (e.g., IHIR) Neational Exchange(s) are linked-to International Interoperability-Specifications (e.g., IHIR) Neational Interoperabil	74		 verbs (manage operation-types) and verb qualifiers with
 4. Defines Conformance-Criteria syntax-and-semantics; where, Function Conformance-Criteria and their profiles constrain the manage sub-types, <u>Record-Entry</u> sub-types Functions can-be linked-be information Exchanges (IEs), IEs can-be linked-be implementation standards-technologies-paradigms-and-patterns (e.g., FHIR, FHIM, IHE). 5. Maintains post-conditions; where, A System-Function (SF) Use-Case is a constrained-scope and refined-detail System Reference-Model; where, SF Conformance-Criteria are System-Action scenario-threads through the SF Use-Case Model containing: 1) SF Invariant-condition (context) a) System Function (SF) Identifier b) System Function (SF) Identifier c) Profile Identifier (EHR or PHR) b) System Function (SF) Identifier c) Profile Identifier (IEHR or PHR) d) SF CC Pre-condition (rigger) a) SF CC Pre-condition (rigger) a) SF CC Pre-condition (rigger) a) Pre-condition is a verb-clause. b) After a Human-Action or System-Action; then, 4) SF CC Applicability a) The System SHALL, SHOULD or MAY i) "provide Identifier g) operation linked-to Data-Type; where, conditionally, b) the System-Action abendsor on other-SF c) Data-Type are associated-with other Data-Types d) Information Exchange(s) are Iniked-to g) in Implementation Guides (e.g., Consolidated CDA) ii) Implementation Guides (e.g., Consolidated CDA) ii) Realm Interoperability-Specifications (e.g., FHIR) ii) Realm Interoperability-Specifications (e.g., FHIR) ii) Realm Interoperability-Specifications (e.g., IHIS) v) Service Level Agreement (e.g., local workdow) 6) SF CC Post-Condition (expected-outcome) a) Post-condition is a subordinate-clause. b) "where, the System-Actions are" 7) SF CC See Also 	75		 <u>conditions</u> {Business Rules based on laws, policies, preferences}; where,
 Function Conformance-Criteria and their profiles constrain the manage sub-types, <u>Record-Entry</u> sub-types Functions can-be linked-to implementation Exchanges (Es), Is can-be linked-to implementation standards-technologies-paradigms-and-patterns (e.g., FHIR, FHIM, IHE). Maintatins post-conditions; where, A System-Function (SF) Use-Case is a constrained-scope and refined-detail System Reference-Model; where, SF Conformance-Criteria are System-Action scenario-treads through the SF Use-Case Model containing: SF Invariant-condition (context) System Identifier (EHR or PHR) System Identifier (EHR or PHR) System Identifier (IGH or PHR) System Identifier (Number) SF CC Identifier (Number) SF CC Identifier (Number) SF CC Pre-condition (rigger) Pre-condition is a verb-clause. After a Human-Action or System-Action; then, SF CC Applicability The System SHALL, SHOULD or MAY "provide-the-ability-to" "directy" SF CC System-Action Bindings Operation linked-to Data-Type; where, conditionally, the System-Actions depends-on other-SF Data-Type are associated-with other Data-Types Information Exchange(s) are iniked-to in Realm Interoperability-Secifications (e.g., FHIR) Ingelmentation Guides (e.g., Consolidated CDA) ii) Behavioral Interoperability-Secifications (e.g., FHIR) Implementation Guides (e.g., Consolidated CDA) Ser CC Post-Condition (sepected-outcome) Post-condition is a subordinate-clause. 'Ser CC See Also 'Ser CC See Also 	76		- Conformance Criteria (CC) are use-case scenario-threads (context and subject-verb-object bindings).
 Functions can-be linked-b Information Exchanges (IEs), IEs can-be linked-b implementation standards-technologies-paradigms-and-patterns (e.g., FHIR, FHIM, IHE). Maintains post-conditions; where, A System-Function (SF) Use-Case is a constrained-scope and refined-detail System Reference-Model; where, SF Conformance-Criteria are System-Action scenario-threads through the SF Use-Case Model containing: SF Invariant-condition (context) a) System Identifier (EHR or PHR) b) System Identifier (IEHR or PHR) c) Profile Identifier c) Profile Identifier (Number) 3) SF CC Pre-condition (rigger) a) Pre-condition (sigger) a) Pre-condition is a verb-clause. b) After a Human-Action or System-Action; then, 4) SF CC Applicability a) The System SHALL, SHOULD or MAY i) "provide-the-ability-to" i) "provide-the-ability-to" i) or provide-the-ability-to" j) or provide-the-ability-to" j) a) Operation linked-to Data-Type; where, conditionally, b) the System-Actions depends-on other-SF c) Data-Type are associated-with other Data-Types d) Information Exchange(s) are linked-to i) International Interoperability-Standards (e.g., FHIR) ii) Realm Interoperability-Specifications (e.g., FHIR) ii) Realm Interoperability-Specifications (e.g., FHIR) ii) Realm Interoperability-Specifications (e.g., HIR) ii) Behavioral Interoperability-Specifications (e.g., FHIR) ii) Behavioral Interoperability-Specifications (e.g., HIR) ii) Behavioral Interoperability-Specifications (e.g., HIR) ii) Implementation Guides (e.g., consolidated CDA) iv) Service Level Agreement (e.g., local worktow) f) SF CC See Also i) "where, the System-Actions are" 7) SF CC See Also i) Supporting or related SFs (e.g., Infrastructure) 	77	4.	Defines Conformance-Criteria syntax-and-semantics; where,
 IEs can-be linked-to implementation standards-technologies-paradigms-and-patterns (e.g., FHIR, FHIM, IHE). Maintains post-conditions; where, A System-Function (SF) Use-Case is a constrained-scope and refined-detail System Reference-Model; where, SF Conformance-Criteria are System-Action scenario-threads through the SF Use-Case Model containing: SF Invariant-condition (context) System Function (SF) Identifier System Function (SF) Identifier System Function (SF) Identifier System Function (SF) Identifier SF CC Pre-condition (rigger) Profile Identifier (Number) SF CC Applicability SF CC Applicability The System SHALL, SHOULD or MAY "origonal-Action Bindings Operation linked-to Data-Type; where, conditionally, the System-Actions depends-on other-SF Data-Type are associated-with other Data-Types Information Exchange(s) are linked-to Information Exchange(s) are linked-to Information Interoperability-Specifications (e.g., FHIR) ii) Realm Interoperability-Specifications (e.g., FHIR) iii) Realm Interoperability-Specifications (e.g., FHIR) SF CC Post-Condition (expected-outcome) Post-condition is a subordinate-clause. Sr KC See Also St KC See Also 	78		 Function Conformance-Criteria and their profiles constrain the manage sub-types, <u>Record-Entry</u> sub-types
 Maintains post-conditions; where, A System-Function (SF) Use-Case is a constrained-scope and refined-detail System Reference-Model; where, SF Conformance-Criteria are System-Action scenario-threads through the SF Use-Case Model containing: SF Invariant-condition (context) System Identifier (EHR or PHR) System Function (SF) Identifier Profile Identifier SF CC Identifier (Number) SF CC Pre-condition (rigger) Pre-condition is a verb-clause. After a Human-Action or System-Action; then, SF CC Applicability The System SHALL, SHOULD or MAY "provide-the-ability-to" "threety" SF CC System-Action Bindings Operation linked-to Data-Types Information Exchange(s) are linked-to Data-Types Information Exchange(s) are linked-to Call. International Interoperability-Specifications (e.g., FHIR) Realm Interoperability-Specifications (e.g., CAI) SF CC Post-Condition Guides (e.g., Cola workfow) SF CC Post-Condition (expected-outcome) Post-condition is a subordinate-clause. "where, the System-Action are" 	79		 Functions can-be linked-to Information Exchanges (IEs),
82 A System-Function (SF) Use-Case is a constrained-scope and refined-detail System Reference-Model; where, 83 SF Conformance-Criteria are System-Action scenario-threads through the SF Use-Case Model containing: 84 I) SF Invariant-condition (context) 85 0. 81 System Identifier (EHR or PHR) 85 0. 86 0. 87 Coldentifier 88 0. 89 20. 87 CC Procondition (rigger) 90 3) 87 CC Per-condition (rigger) 91 a) Pre-condition (rigger) 92 b) After a Human-Action or System-Action; then, 93 4) SF CC Applicability 94 a) The System SHALL, SHOULD or MAY 95 b) reference/secondition and pereoson other-SF 96 i) "greetly" 97 5) SF CC System-Action Bindings 98 a) Operation linked-to Data-Type; where, conditionally, 99 b) the System-Actions depends-on other-SF 100 c) Data-Type are associa	80		 IEs can-be linked-to implementation standards-technologies-paradigms-and-patterns (e.g., FHIR, FHIM, IHE).
83 A System-Function (SF) Use-Case is a constrained-scope and refined-detail System Reference-Model; where, 84 SF Conformance-Criteria are System-Action scenario-threads through the SF Use-Case Model containing: 85 1) SF Invariant-condition (context) 86 a) System Function (SF) Identifier 87 c) Profile Identifier 88 c) Profile Identifier 89 2) SF CC Identifier (Number) 90 3) SF CC Ce-condition (trigger) 91 a) Pre-condition is a verb-clause. 95 b) After a Human-Action or System-Action; then, 93 4) SF CC Applicability 94 a) The System SHALL, SHOULD or MAY 95 i) "directy" 96 ii) "directy" 97 5) SF CC System-Action Bindings 98 a) Operation linked-to Data-Type; where, conditionally, 99 b) the System-Actions depands-on other-SF 100 c) Data-Type are associated-with other Data-Types 101 international Interoperability-Standards (e.g., FHIR) 1	81	5.	Maintains post-conditions; where,
SF Conformance-Criteria are System-Action scenario-threads through the SF Use-Case Model containing: 1) SF Invariant-condition (context) a) System Identifier (EHR or PHR) b) System Function (SF) Identifier c) Profile Identifier 2) SF CC Identifier (Number) 90 3) SF CC Pre-condition (trigger) 1 a) Pre-condition is a verb-clause. 10) After a Human-Action or System-Action; then, 93 SF CC Applicability 94 a) The System SHALL, SHOULD or MAY 95 i) "provide-the-ability-to" 96 ii) "directly" 97 5) SF CC System-Action Bindings 98 a) Operation linked-to Data-Type; where, conditionally, 99 b) the System-Actions depends-on other-SF 100 c) Data-Type are associated-with other Data-Types 101 d) Information Exchange(s) are linked-to 102 i) International Interoperability-Specifications (e.g., FHIR) 103 ii) Realm Interoperability-Specifications (e.g., IFIE) 104 iii) Imperneta	82		
 1) SF Invariant-condition (context) a) System Identifier (EHR or PHR) b) System Function (SF) Identifier c) Profile Identifier 3) SF CC Identifier (Number) 3) SF CC Identifier (Number) 3) SF CC Pre-condition (rigger) a) Pre-condition is a verb-clause. b) After a Human-Action or System-Action; then, 3) 4) SF CC Applicability a) The System SHALL, SHOULD or MAY i) "provide-the-ability-to" ii) "directly" 5) SF CC System-Action Bindings a) Operation linked-to Data-Type; where, conditionally, b) the System-Action Bindings a) Operation linked-to Data-Type; where, conditionally, b) the System-Action Bindings a) Operation linked-to Data-Type; where, conditionally, b) the System-Action Bindings a) Operation linked-to Data-Type; where, conditionally, b) the System-Action Bindings a) Operation linked-to Data-Types i) International Interoperability-Standards (e.g., FHIR) ii) Realm Interoperability-Specifications (e.g., FHIR) iii) Implementation Guides (e.g., Consolidated CDA) iv) Behavioral Interoperability-Specifications (e.g., IHE) v) Service Level Agreement (e.g., local workfow) 6) SF CC Post-Condition (expected-outcome) a) Post-condition is a subordinate-clause. b) "where, the System-Actions are" 7) SF CC See Also a) Supporting or related SFs (e.g., Infrastructure) 	83	AS	System-Function (SF) Use-Case is a constrained-scope and refined-detail System Reference-Model; where,
86 a) System Identifier (EHR or PHR) 87 b) System Function (SF) Identifier 88 c) Profile Identifier 89 2) SF CC Identifier (Number) 90 3) SF CC Pre-condition (trigger) 91 a) Pre-condition is a verb-clause. 92 b) After a Human-Action or System-Action; then, 93 4) SF CC Applicability 94 a) The System SHALL, SHOULD or MAY 95 i) "provide-the-ability-to" 96 ii) "directly" 97 5) SF CC System-Action Bindings 98 a) Operation linked-to Data-Type; where, conditionally, 99 b) the System-Actions depends-on other-SF 100 c) Data-Type are associated-with other Data-Types 101 d) Information Exchange(s) are linked-to 102 i) International Interoperability-Specifications (e.g., FHIR) 103 ii) Realm Interoperability-Specifications (e.g., FHIR) 103 ii) Mementation Guides (e.g., Consolidated CDA) 104 iii) Implementation Guides (e.g., consolidated CDA) 105 iv) Behavioral Interoperability-Specifications (e.g., IHE) 106 v) Service Level Agreement (e.g., local workflow) <td>84</td> <td>SF</td> <td>Conformance-Criteria are System-Action scenario-threads through the SF Use-Case Model containing:</td>	84	SF	Conformance-Criteria are System-Action scenario-threads through the SF Use-Case Model containing:
 b) System Function (SF) Identifier c) Profile Identifier 3) SF CC Identifier (Number) 3) SF CC Pre-condition (trigger) a) Pre-condition is a verb-clause. b) After a Human-Action or System-Action; then, 3) SF CC Applicability a) The System SHALL, SHOULD or MAY i) "provide-the-ability-to" ii) "directly" 5) SF CC System-Action Bindings a) Operation linked-to Data-Type; where, conditionally, b) the System-Action sequences on other-SF c) Data-Type are associated-with other Data-Types ii) Information Exchange(s) are linked-to iii) Realm Interoperability-Standards (e.g., FHIR) iii) Realm Interoperability-Specifications (e.g., FHIR) iii) Implementation Guides (e.g., Consolidated CDA) iv) Behavioral Interoperability-Specifications (e.g., IHE) v) Service Level Agreement (e.g., local workflow) f) SF CC Post-Condition (expected-outome) a) Post-condition is a subordinate-clause. b) "where, the System-Actions are" 7) SF CC See Also a) Supporting or related SFs (e.g., Infrastructure) 	85	1)	SF Invariant-condition (context)
 c) Profile Identifier 2) SF CC Identifier (Number) 3) SF CC Pre-condition (trigger) a) Pre-condition is a verb-clause. b) After a Human-Action or System-Action; then, 3) 4) SF CC Applicability a) The System SHALL, SHOULD or MAY i) "provide-the-ability-to" ii) "directly" 5) SF CC System-Action Bindings a) Operation linked-to Data-Type; where, conditionally, b) the System-Action depends-on other-SF c) Data-Type are associated-with other Data-Types l) Information Exchange(s) are linked-to i) International Interoperability-Specifications (e.g., FHIR) ii) Realm Interoperability-Specifications (e.g., IHE) v) Service Level Agreement (e.g., local workflow) f) SF CC Post-Condition (expected-outcome) a) Post-condition is a subordinate-clause. b) "where, the System-Actions are" f) SF CC SeeAlso a) Supporting or related SFs (e.g., Infrastructure) 	86		a) System Identifier (EHR or PHR)
 SF CC Identifier (Number) SF CC Pre-condition (trigger) Pre-condition is a verb-clause. After a Human-Action or System-Action; then, SF CC Applicability The System SHALL, SHOULD or MAY "provide-the-ability-to" "office they" SF CC System-Action Bindings Operation linked-to Data-Type; where, conditionally, the System-Actions depends-on other-SF Dote they are associated-with other Data-Types Information Exchange(s) are linked-to International Interoperability-Standards (e.g., FHIR) ii) Realm Interoperability-Specifications (e.g., IHIR) iii) Realm Interoperability-Specifications (e.g., IHE) v) Service Level Agreement (e.g., local workflow) SF CC Post-Condition (expected-outcome) Post-condition is a subordinate-clause. b) "where, the System-Actions are" SF CC See Also Supporting or related SFs (e.g., Infrastructure) 	87		b) System Function (SF) Identifier
 3) SF CC Pre-condition (trigger) a) Pre-condition is a verb-clause. b) After a Human-Action or System-Action; then, 4) SF CC Applicability a) The System SHALL, SHOULD or MAY i) "provide-the-ability-to" ii) "directly" 5) SF CC System-Action Bindings a) Operation linked-to Data-Type; where, conditionally, b) the System-Actions depends-on other-SF c) Data-Type are associated-with other Data-Types o) Information Exchange(s) are linked-to i) International Interoperability-Specifications (e.g., FHIR) ii) Realm Interoperability-Specifications (e.g., FHIR) iii) Realm Interoperability-Specifications (e.g., IHE) v) Service Level Agreement (e.g., local workflow) f) SF CC Post-Condition is a subordinata-clause. b) "where, the System-Actions are" 7) SF CC See Also a) Supporting or related SFs (e.g., Infrastructure) 	88		c) Profile Identifier
 a) Pre-condition is a verb-clause. b) After a Human-Action or System-Action; then, 4) SF CC Applicability a) The System SHALL, SHOULD or MAY i) "provide-the-ability-to" ii) "directy" 5) SF CC System-Action Bindings a) Operation linked-to Data-Type; where, conditionally, b) the System-Actions depends-on other-SF c) Data-Type are associated-with other Data-Types d) Information Exchange(s) are linked-to i) International Interoperability-Specifications (e.g., FHIR) ii) Realm Interoperability-Specifications (e.g., FHIR) iii) Realm Interoperability-Specifications (e.g., IHE) v) Service Level Agreement (e.g., local workflow) 6) SF CC Post-Condition (expected-outcome) a) Post-condition is a subordinate-clause. b) "where, the System-Actions are" 7) SF CC See Also a) Supporting or related SFs (e.g., Infrastructure) 	89	2)	SF CC Identifier (Number)
92 b) After a Human-Action or System-Action; then, 93 4) SF CC Applicability 94 a) The System SHALL, SHOULD or MAY 95 i) "provide-the-ability-to" 96 ii) "directly" 97 5) SF CC System-Action Bindings 98 a) Operation linked-to Data-Type; where, conditionally, 99 b) the System-Actions depends-on other-SF 100 c) Data-Type are associated-with other Data-Types 101 d) Information Exchange(s) are linked-to 102 i) International Interoperability-Standards (e.g., FHIR) 103 ii) Realm Interoperability-Specifications (e.g., FHIR) 104 iii) Implementation Guides (e.g., Consolidated CDA) 105 iv) Behavioral Interoperability-Specifications (e.g., IHE) 106 v) Service Level Agreement (e.g., local workflow) 107 6) SF CC Post-Condition (expected-outcome) 108 a) Post-condition is a subordinate-clause. 109 b) "where, the System-Actions are" 110 7)	90	3)	SF CC Pre-condition (trigger)
 4) SF CC Applicability a) The System SHALL, SHOULD or MAY i) "provide-the-ability-to" ii) "directy" 5) SF CC System-Action Bindings a) Operation linked-to Data-Type; where, conditionally, b) the System-Actions depends-on other-SF c) Data-Type are associated-with other Data-Types d) Information Exchange(s) are linked-to ii) International Interoperability-Standards (e.g., FHIR) iii) Realm Interoperability-Specifications (e.g., FHIR) iv) Behavioral Interoperability-Specifications (e.g., IHE) v) Service Level Agreement (e.g., local workflow) f) SF CC Post-Condition (expected-outcome) a) Post-condition is a subordinate-clause. b) "where, the System-Actions are" 7) SF CC See Also a) Supporting or related SFs (e.g., Infrastructure) 	91		a) Pre-condition is a verb-clause.
 a) The System SHALL, SHOULD or MAY i) "provide-the-ability-to" ii) "directly" 5) SF CC System-Action Bindings a) Operation linked-to Data-Type; where, conditionally, b) the System-Actions depends-on other-SF c) Data-Type are associated-with other Data-Types d) Information Exchange(s) are linked-to i) International Interoperability-Standards (e.g., FHIR) ii) Realm Interoperability-Specifications (e.g., FHIR) iii) Implementation Guides (e.g., Consolidated CDA) iv) Behavioral Interoperability-Specifications (e.g., IHE) v) Service Level Agreement (e.g., local workflow) 6) SF CC Post-Condition (expected-outcome) a) Post-condition is a subordinate-clause. b) "where, the System-Actions are" 7) SF CC See Also 11 a) Supporting or related SFs (e.g., Infrastructure) 	92		b) After a Human-Action or System-Action; then,
 95 i) "provide-the-ability-to" 96 ii) "directly" 97 5) SF CC System-Action Bindings 98 a) Operation linked-to Data-Type; where, conditionally, 99 b) the System-Actions depends-on other-SF 100 c) Data-Type are associated-with other Data-Types 101 d) Information Exchange(s) are linked-to 102 i) International Interoperability-Standards (e.g., FHIR) 103 ii) Realm Interoperability-Specifications (e.g., FHIM) 104 iii) Implementation Guides (e.g., Consolidated CDA) 105 iv) Behavioral Interoperability-Specifications (e.g., IHE) 106 v) Service Level Agreement (e.g., local workflow) 107 6) SF CC Post-Condition (expected-outcome) a) Post-condition is a subordinate-clause. b) "where, the System-Actions are" 110 7) SF CC See Also 111 a) Supporting or related SFs (e.g., Infrastructure) 	93	4)	SF CC Applicability
 96 ii) "directly" 97 5) SF CC System-Action Bindings a) Operation linked-to Data-Type; where, conditionally, b) the System-Actions depends-on other-SF 100 c) Data-Type are associated-with other Data-Types 101 d) Information Exchange(s) are linked-to 102 i) International Interoperability-Standards (e.g., FHIR) 103 ii) Realm Interoperability-Specifications (e.g., FHIM) 104 iii) Implementation Guides (e.g., Consolidated CDA) 105 iv) Behavioral Interoperability-Specifications (e.g., IHE) 106 v) Service Level Agreement (e.g., local workflow) 107 6) SF CC Post-Condition (expected-outcome) a) Post-condition is a subordinate-clause. b) "where, the System-Actions are" 110 7) SF CC See Also 111 a) Supporting or related SFs (e.g., Infrastructure) 	94		a) The System SHALL, SHOULD or MAY
 5) SF CC System-Action Bindings a) Operation linked-to Data-Type; where, conditionally, b) the System-Actions depends-on other-SF (c) Data-Type are associated-with other Data-Types (d) Information Exchange(s) are linked-to i) International Interoperability-Standards (e.g., FHIR) ii) Realm Interoperability-Specifications (e.g., FHIM) iii) Implementation Guides (e.g., Consolidated CDA) iv) Behavioral Interoperability-Specifications (e.g., IHE) v) Service Level Agreement (e.g., local workflow) 6) SF CC Post-Condition (expected-outcome) a) Post-condition is a subordinate-clause. b) "where, the System-Actions are" 7) SF CC See Also a) Supporting or related SFs (e.g., Infrastructure) 	95		i) "provide-the-ability-to"
 a) Operation linked-to Data-Type; where, conditionally, b) the System-Actions depends-on other-SF c) Data-Type are associated-with other Data-Types d) Information Exchange(s) are linked-to i) International Interoperability-Standards (e.g., FHIR) ii) Realm Interoperability-Specifications (e.g., FHIM) iii) Implementation Guides (e.g., Consolidated CDA) iv) Behavioral Interoperability-Specifications (e.g., IHE) v) Service Level Agreement (e.g., local workflow) f) SF CC Post-Condition (expected-outcome) a) Post-condition is a subordinate-clause. b) "where, the System-Actions are" 7) SF CC See Also 11 a) Supporting or related SFs (e.g., Infrastructure) 	96		ii) "directly"
 b) the System-Actions depends-on other-SF c) Data-Type are associated-with other Data-Types d) Information Exchange(s) are linked-to i) International Interoperability-Standards (e.g., FHIR) ii) Realm Interoperability-Specifications (e.g., FHIM) iii) Implementation Guides (e.g., Consolidated CDA) iv) Behavioral Interoperability-Specifications (e.g., IHE) v) Service Level Agreement (e.g., local workflow) f) SF CC Post-Condition (expected-outcome) a) Post-condition is a subordinate-clause. b) "where, the System-Actions are" 7) SF CC See Also a) Supporting or related SFs (e.g., Infrastructure) 	97	5)	SF CC System-Action Bindings
 c) Data-Type are associated-with other Data-Types d) Information Exchange(s) are linked-to i) International Interoperability-Standards (e.g., FHIR) ii) Realm Interoperability-Specifications (e.g., FHIM) iii) Implementation Guides (e.g., Consolidated CDA) iv) Behavioral Interoperability-Specifications (e.g., IHE) v) Service Level Agreement (e.g., local workflow) f) SF CC Post-Condition (expected-outcome) a) Post-condition is a subordinate-clause. b) "where, the System-Actions are" f) SF CC See Also i) Supporting or related SFs (e.g., Infrastructure) 	98		
 d) Information Exchange(s) are <i>linked-to</i> i) International Interoperability-Standards (e.g., FHIR) ii) Realm Interoperability-Specifications (e.g., FHIM) iii) Implementation Guides (e.g., Consolidated CDA) iv) Behavioral Interoperability-Specifications (e.g., IHE) v) Service Level Agreement (e.g., local workflow) 6) SF CC Post-Condition (expected-outcome) a) Post-condition is a subordinate-clause. b) "where, the System-Actions are" 7) SF CC See Also 111 a) Supporting or related SFs (e.g., Infrastructure) 	99		,
 i) International Interoperability-Standards (e.g., FHIR) ii) Realm Interoperability-Specifications (e.g., FHIM) iii) Implementation Guides (e.g., Consolidated CDA) iv) Behavioral Interoperability-Specifications (e.g., IHE) v) Service Level Agreement (e.g., local workflow) f) SF CC Post-Condition (expected-outcome) a) Post-condition is a subordinate-clause. b) "where, the System-Actions are" 7) SF CC See Also a) Supporting or related SFs (e.g., Infrastructure) 	100		
 ii) Realm Interoperability-Specifications (e.g., FHIM) iii) Implementation Guides (e.g., Consolidated CDA) iv) Behavioral Interoperability-Specifications (e.g., IHE) v) Service Level Agreement (e.g., local workflow) f) SF CC Post-Condition (expected-outcome) a) Post-condition is a subordinate-clause. b) "where, the System-Actions are" 7) SF CC See Also a) Supporting or related SFs (e.g., Infrastructure) 	101		, , , , , , , , , , , , , , , , , , , ,
 iii) Implementation Guides (e.g., Consolidated CDA) iv) Behavioral Interoperability-Specifications (e.g., IHE) v) Service Level Agreement (e.g., local workflow) 6) SF CC Post-Condition (expected-outcome) a) Post-condition is a subordinate-clause. b) "where, the System-Actions are" 7) SF CC See Also a) Supporting or related SFs (e.g., Infrastructure) 			
 iv) Behavioral Interoperability-Specifications (e.g., IHE) v) Service Level Agreement (e.g., local workflow) SF CC Post-Condition (expected-outcome) a) Post-condition is a subordinate-clause. b) "where, the System-Actions are" SF CC See Also Supporting or related SFs (e.g., Infrastructure) 			
 v) Service Level Agreement (e.g., local workflow) SF CC Post-Condition (expected-outcome) a) Post-condition is a subordinate-clause. b) "where, the System-Actions are" SF CC See Also a) Supporting or related SFs (e.g., Infrastructure) 			
 107 6) SF CC Post-Condition (expected-outcome) 108 a) Post-condition is a subordinate-clause. 109 b) "where, the System-Actions are" 110 7) SF CC See Also 111 a) Supporting or related SFs (e.g., Infrastructure) 			
108 a) Post-condition is a subordinate-clause. 109 b) "where, the System-Actions are" 110 7) SF CC See Also 111 a) Supporting or related SFs (e.g., Infrastructure)			
 109 b) "where, the System-Actions are" 110 7) SF CC See Also 111 a) Supporting or related SFs (e.g., Infrastructure) 		6)	
 110 7) SF CC See Also 111 a) Supporting or related SFs (e.g., Infrastructure) 			
111 a) Supporting or related SFs (e.g., Infrastructure)		-,	
		7)	
			a) Supporting or related SFS (e.g., Intrastructure)




113 114

Figure 4 EHR/PHR-RM Operation-Types Model (Verb-Hierarchy)




115 116

Figure 5 EHR/PHR-RM Data-Types Model



- ii) Data: Immunization-Administration, Immunization-History, Public-Health Registry
- iii) Associated Data: Alerts-and-Notification, Allergy-Intolerance-or-Adverse-Event, Patient-Clinical-138 139 Measurement, Patient-Directive, Immunization-Schedule, Patient-Educational-Information, 140 Signature.
- e) Where all System-Actions are "according to scope-of-practice, organizational-policy, jurisdictional-law, 141
 - patient preference-or-consent."
- 142 143



144 145

146

151


153 154

155


Figure 7 CP.6.2#01 Immunization-Management Conformance-Criteria

- 147 CP.6.2#01 During an Encounter, the system SHALL provide-the-ability-to capture, maintain and render 148 Immunization Administration; where, 149 Treatment Record-Entry details are as discrete-data, including
- 150
 - immunization name/type, strength and dose; date-and-time of administration;
 - manufacturer, lot number
- Immunization Administration can be realized-by FHIR; where, 152
 - Immunization-Administration is then associated with the following resources:
 - AdverseReaction and other Observations,
 - Patient, Practitioner, Organization, Location;
- 156 Immunization-Administration can be realized-by FHIR-profiles based-on the US Realm FHIM 157 Immunization and related Domains.

158







165

Figure 10 Example EHR-S FIM-FHIR-FHIM Requirements-Specification

CURRENT ISSUES-ACTIONS

HL7 Board approval of EHR-S FIM Release-3 open-IP; where, the EHR-S FIM home page is www.hl7.org/EHRSFIM 166 5. FHIR WG Coordination to integrate EHR-S FIM-FHIR into a joint Sparx Enterprise Architect (EA) model; where, 6. 167

EA can generate integrated EHR-S FIM-FHIR International-Realm interoperability requirements-specifications 168

- 169 FHIM Team Coordination to integrate EHR-S FIM-FHIR-FHIM into a joint Sparx Enterprise Architect (EA) model; where 7. EA can generate integrated EHR-S FIM-FHIR-FHIM US-Realm interoperability requirements-specifications 170
- 171 Call-for-Participation in EHR-S/PHR-S FIM r3 based on a common EHR-S/PHR-S RM (ReferenSce Model), where, 8.