
#### "Reducing Clinician Burden" Project Overview

Health Level Seven (HL7) Electronic Health Record Work Group (EHR WG) 20 May 2019



#### Quantifying the EHR Burden Surveys Say...

- 3 out of 4 physicians believe that EHRs increase practice costs, outweighing any efficiency savings Deloitte Survey of US Physicians, 2016
- 7 out of 10 physicians think that EHRs reduce their productivity Deloitte
- 4 in 10 primary care physicians (40%) believe there are more challenges with EHRs than benefits Stanford Medicine/Harris Poll, 2018
- 7 out of 10 physicians (71%) agree that EHRs greatly contribute to physician burnout Stanford/Harris
- 6 out of 10 physicians (59%) think EHRs need a complete overhaul Stanford/Harris
- Only 8% say the primary value of their EHR is clinically related Stanford/Harris
- [Physicians express that EHR] systems had detracted from professional satisfaction (54%) as well as from their clinical effectiveness (49%) – Stanford/Harris

20 May 2019



20 May 2019

HL7 EHR WG - "Reducing Clinician Burden" Project

#### Reducing Clinician Burden Stakeholders

VHAT – Burden Targeted WHO – Might Best Address Burden		en
In Clinical Practice – At Point of Care	Providers, Clinical Professional Societies	S
<ul> <li>In Health Informatics Standards, e.g.</li> <li>EHR System Functional Model/Profiles</li> <li>Messages (HL7 v.2x), Documents (HL7 CDA), Resources (HL7 FHIR)</li> <li>Implementation Guides (C-CDA, IPS)</li> <li>Vocabulary</li> </ul>	<ul> <li>Standards Developers/Profilers:</li> <li>HL7, DICOM, IHE, ISO TC215, NCPDP, ASC X12N, SNOMED</li> <li>Standards Coordinating Bodies</li> <li>Joint Initiative Council</li> </ul>	ngaged <u>Clinician</u> s
In Regulation, Policies	Government, Accreditation Agencies	
In Claims, Payment Policies	Public and Private Payers	Ш
During System/Software Design	EHR/HIT System Developers/Vendors	With
During System/Software Implementation	EHR/HIT System Implementers	~

## Reducing Clinician Burden Defining Terms (DRAFT)

Reducing (reduce)	<ul> <li>"To bring down, as in extent, amount, or degree; diminish", and "To gain control of [to] conquer", and "To simplify the form of without changing the value", also "To restore to a normal condition or position" – The Free Dictionary</li> <li>"To lower in intensity" – Dictionary.com</li> <li>"To narrow down", also "To bring to a specified state or condition" – Merriam-Webster</li> </ul>
Clinician	<ul> <li>"A health professional whose practice is based on direct observation and treatment of a patient" – Mosby's Medical Dictionary</li> <li>"An expert clinical practitioner and teacher" – Miller-Keane Encyclopedia and Dictionary of Medicine, Nursing, and Allied Health</li> <li>"A health professional, such as a physician, psychologist, or nurse, who is directly involved in patient care" – American Heritage Medical Dictionary</li> </ul>
Burden	<ul> <li>"A source of great worry or stress", and "[Something that] cause[s] difficulty [or] distress", also "To load or overload" – The Free Dictionary</li> <li>"Something that is carried, [as in a] duty [or] responsibility", also "Something oppressive or worrisome" – Merriam-Webster Dictionary</li> </ul>

# Reducing Clinician Burden Defining Terms (DRAFT)

	Anything that hinders patient care, either directly of indirectly [such as]:
	1) Undue cost or loss of revenue,
	2) Undue time,
	3) Undue effort,
Clinician	4) Undue complexity of workflow,
Burden	5) Undue cognitive burden,
	6) [Uncertain quality/reliability of data/record content,]
	7) Anything that contributes to burnout, lack of productivity, inefficiency, etc.,
	8) Anything that gets in the way of a productive clinician-patient relationship.
	Peter Goldschmidt

#### How physicians use their computers

Percent of time spent per day by EHR task category

Clerical (documentation, order entry, etc.), 44%

Medical care (chart review, etc.), 32%


Inbox management, 24%

Source: Health Data Management

.%

20 May 2019

HL7 EHR WG - "Reducing Clinician Burden" Project








HL7 EHR WG - "Reducing Clinician Burden" Project

#### Reducing Clinician Burden Burden Sometimes leads to Burnout

- "Physician burnout' has skyrocketed to the top of the agenda in medicine. A 2018 Merritt Hawkins survey found a staggering 78% of doctors suffered symptoms of burnout, and in January [2019] the Harvard School of Public Health and other institutions deemed it a 'public health crisis."
- Fortune and Kaiser Health News: "Death by a Thousand Clicks: Where Electronic Health Records Went Wrong", Erika Fry and Fred Schulte, published 18 Mar 2019









HL7 EHR WG - "Reducing Clinician Burden" Project

#### Reducing Clinician Burden

- Is a formal project of the HL7 EHR Work Group
- Has an extensive list of active participants and followers
- Is oriented to both US and international interests
- Has undertaken an extensive review of reference sources to document the substance and extent of clinician burden
- Continues work to identify root causes in each RCB topic area (not just EHR system functionality and usability issues - although that is important)
- Is looking for success stories specifically addressing burden reduction
- Intends to use our findings as part of the foundation (and springboard) for EHR-S FM Release 3
- Will influence future directions for HL7 (beyond the EHR WG, e.g., Da Vinci), JIC, ISO, SNOMED and other standards development efforts

#### Reducing Clinician Burden Assessing the Burden

- Our primary focus is on <u>clinician burdens including time and data quality burdens</u> associated with:
  - Use/engagement of EHR/HIT systems
  - Capture, exchange and use of health information
- Considering:
  - Clinical practice at the point of care
  - Regulatory, accreditation, administrative, payor mandates
  - EHR/HIT system design, functionality, usability and implementation
  - Data quality and usability
- Gather details from many reference sources:
  - Trade publications, professional society journals, articles, studies, personal experience
- Our goal is not to boil the ocean, rather to understand the <u>substance and extent of</u> the burden, to recognize root causes and <u>identify success stories</u>.

#### Reducing Clinician Burden – Breaking It Down Topics/Categories

- 1.1) Clinician Burden In General
- 1.2) Clinician Burnout Sometimes the Result
- 2) Patient Safety (and Clinical Integrity)
- 3) Administrative tasks
- 4) Data entry requirements
- 5) Data entry scribes and proxies
- 6) Clinical documentation: quality and usability
- 7) Prior authorization, coverage verification, eligibility tasks
- 8) Provider/patient face to face interaction
- 9) Provider/patient communication
- 10) Care coordination, team-based care
- 11) Clinical work flow
- 12) Disease management, care and treatment plans

**13)** Clinical decision support, medical logic, artificial intelligence

- 14) Alerts, reminders, notifications, inbox management
- 15) Information overload
- 16) Transitions of care
- 17) Health information exchange, claimed "interoperability"
- 18) Medical/personal device integration
- 19) Orders for equipment and supplies
- 20) Support for payment, claims and reimbursement
- 21) Support for cost review

22) Support for measures: administrative, operations, quality, performance, productivity, cost, utilization

- 23) Support for public and population health
- 24) Legal aspects and risks
- 25) User training, user proficiency

26) Common function, information and process models

- 27) Software development and improvement priorities, end-user feedback
- 28) Product transparency
- 29) Product modularity
- 30) Lock-in, data liquidity, switching costs
- 31) Financial burden
- 32) Security
- 33) Professional credentialing
- 34.1) Identity matching
- 34.2) Identity and credential management
- 35) Data quality and integrity
- 36) Process integrity
- 37.1) Problem list
- 37.2) Medication list
- 37.3) Allergy list
- 37.4) Immunization list
- 37.5) Surgery, intervention and procedure list

20 May 2019

#### Reducing Clinician Burden Project Plan

- Now
  - Continue environmental scan to document burdens
  - Engage focus teams to address burden topics
  - Focus on root causes
    - What is the problem and its source?
    - Why did it happen?
    - What will be done to prevent it from happening (now and in the future)?
      - Who (stakeholder(s)) might best address burden?
  - Have burden(s) already been tackled?
    - Are there RCB proposals and/or success stories that can be referenced?
- Then
  - Publish findings and work to implement solutions

20 May 2019

#### Reducing Clinician Burden Focus Teams

- · Clinical documentation, quality and usability
  - Lead: Dr. Lisa Masson (<u>lisa.masson@cshs.org</u>)
- Clinical decision support, medical logic, artificial intelligence + Alerts, reminders, notifications, inbox management + Information overload
  - Lead: Dr. James McClay (<u>jmcclay@unmc.edu</u>)
- Clinical workflow
  - Lead: Dr. David Schlossman (dschloss39@gmail.com)
- Legal aspects and risks
  - Lead: Dr. Barry Newman (<u>barrynewman@earthlink.net</u>)
- System lock-in, data liquidity, switching costs
  - Lead: Dr. Michael Brody (<u>mbrody@tldsystems.com</u>)
- State of data content quality
  - Leads: Dr. Reed Gelzer (<u>r.gelzer@trustworthyehr.com</u>)

#### Reducing Clinician Burden Focus Teams (con't)

- Process is open, transparent and inclusive All are welcome!
- Anticipated: More teams to form (convened on RCB topics)
- To participate: Contact team lead(s)

#### Reducing Clinician Burden Additional Considerations

- What are the risks if burden is not reduced?
  - e.g., clinician burnout, clinicians choosing other roles/assignments
- If clinician burdens are reduced...
  - Are burdens increased elsewhere (e.g., to other members of the healthcare team)?
  - Are benefits to other aspects of the health/healthcare business model also reduced?
  - What is the trade-off: Safety? Cost? Time? Efficiency? Effectiveness?

#### Reducing Clinician Burden Success Stories

- 1. <u>Duke Heart Business Unit Procedure Reporting</u> James Tcheng MD, Duke University
- 2. <u>Burnout: How EHR Usability Improves Efficiency & Satisfaction</u> Greta Branford MD, University of Michigan
- 3. <u>Benefits of SNOMED CT from a clinical perspective, The Rotherham experience</u> Monica Jones, NHS Rotherham Foundation Trust
- 4. <u>Getting Time Back in Your Day! Implementing a Multi-Faceted Approach to</u> <u>Optimizing Epic in the Ambulatory Setting</u> Jeff Tokazewski MD, Carole Rosen, Shane Thomas, University of Pennsylvania
- 5. <u>Well-Being Playbook, A Guide for Hospital and Health System Leaders</u> American Hospital Assocation

#### Reducing Clinician Burden Reference Points

- Project Documents New Project Wiki
  - <u>http://bit.ly/reducing\_burden</u>
  - Project Overview
  - DRAFT RCB Analysis Worksheet
  - Reference Sources
  - Success Stories: <u>http://bit.ly/RCB\_success</u>
- Comments may also be directed to:
  - US Centers for Medicare/Medicaid Services (CMS)
     <u>reducingproviderburden@cms.hhs.gov</u>

#### Reducing Clinician Burden

- Bimonthly teleconferences, Monday at 3PM ET (US)
  - 1st and 3rd Mondays each month
     20 May, 3/17 June, 1/15 July, 5/19 August
  - <u>https://global.gotomeeting.com/meeting/join/798931918</u>
- Face-to-Face
  - HL7 September Working Group Meeting: Atlanta, Georgia, USA
  - Wednesday, 18 September 2019, 1:45 5 PM ET (US/Canada)

#### Reducing Clinician Burden Contact

- Comments on the DRAFT analysis worksheet are welcome (including additional reference sources) and should be addressed to the HL7 EHR WG Co-Chairs:
  - Gary Dickinson FHL7, Lead: <u>gary.dickinson@ehr-standards.com</u> CentriHealth/UnitedHealth Group
  - Michael Brody DPM: <u>mbrody@tldsystems.com</u> TLD Systems
  - Stephen Hufnagel PhD: <u>stephen.hufnagel.hl7@gmail.com</u> Apprio Inc
  - Mark Janczewzki MD: <u>mark.janczewski@gmail.com</u> Medical Networks LLC
  - John Ritter FHL7: johnritter1@verizon.net
  - Pele Yu MD: <u>pele.yu@archildrens.org</u> Arkansas Children's Hospital/University of Arkansas

#### Reducing Clinician Burden Project Outreach + Expressed Interest

- Standards Developers
  - Joint Initiative Council (JIC), comprising HL7, ISO TC215 (HIT/International), CEN TC251 (HIT/Europe), DICOM (Diagnostic Imaging), CDISC (Clinical Research), GS1 (IDs/Labeling), SNOMED (Clinical Vocabulary), IHE (Standards Profiling)
- International Healthcare Community
  - Australia, Canada, Chile, Finland, Italy, Netherlands, New Zealand, Norway, Poland, Sweden, United Kingdom
- Government
  - US Centers for Medicare and Medicaid Services (CMS)
  - US Office of National Coordinator for HIT (ONC)
  - US National Institutes of Health (NIH)
  - US Veterans Administration (VA)
  - UK National Health Service (NHS)
- Accreditation Bodies
  - Joint Commission

- Clinical Professional Societies
  - American College of Physicians (ACP)
  - American College of Surgeons (ACS)
  - American Medical Informatics Association (AMIA)
  - American Nurses Association (ANA)
- Providers
  - Adventist Health, Beth Isreal/Deaconess, Cedars-Sinai Medical Center, Duke University, Intermountain Healthcare, Kaiser Permanente, Loma Linda University, Mayo, Sutter Health, University of Arkansas, University of Nebraska, University of Michigan, University of Pennsylvania, VA
- Payers
  - UnitedHealth Group
- EHR/HIT System Developers
  - CentriHealth, Cerner, Epic, TLD Systems
- Consortia
  - Health Record Banking Alliance
  - Health Services Platform Consortia
  - Clinical Information Interoperability Council

# Reducing Clinician Burden Analysis Worksheet – Tabs

- 1. Burdens
- 2. Time Burdens
- 3. Data Quality Burdens
- 4. Clinician Stories
- 5. Terms: Reducing, Clinician, Burden
- 6. Root Causes
- 7. Reference Sources
- 8. Leads: EHR WG Co-Chairs
- 9. Acknowledgements: Reviewers + Contributors
- 10. RCB Topics

#### Reducing Clinician Burden Analysis Worksheet

First Tab – Burdens - Columns

- B) Clinician Burdens (the current situation) Raw Input
- C) Recommendations Raw Input
- D) Reference Sources
- E) Targeted RCB Recommendation(s) refined from our reference (and other) sources
- F) RCB Proposals and Successful Solutions